




Report - Ward 2016: North Blaby

Presentation map




©PHE - © Crown copyright and database rights 2017, Ordnance Survey 100016969 - ONS © Crown Copyright 2017



Report - Ward 2016: North Blaby


Population

Population by age group, 2015
Your selection



Source: ONS © Crown copyright 2016 - total: 54,022

Population by age group, 2015
England




Source: ONS © Crown copyright 2016

Population by age group, 2015, numbers

Ages	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
aged under 16	10,202	17,862	119,643	10,405,114
aged 16-24	5,107	9,406	78,797	6,192,870
aged 25-64	28,258	49,894	343,436	28,476,771
aged 65-84	9,113	16,946	116,340	8,416,283
aged 85 and over	1,342	2,436	17,093	1,295,289
Total	54,022	96,544	675,309	54,786,327

Source: ONS © Crown copyright 2016

Age pyramid for selection: male and female numbers
per five-year age group, 2015



Source: ONS © Crown Copyright 2016



Report - Ward 2016: North Blaby

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
Black and Minority Ethnic (BME) Population	6,920	8,464	55,722	7,731,314
Population whose ethnicity is not 'White UK'	8,487	10,754	72,057	10,733,220
Population who cannot speak English well or at all	560	635	4,426	843,845


Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
Black and Minority Ethnic (BME) Population	13.1	9	8.6	14.6
Population whose ethnicity is not 'White UK'	16.1	11.5	11.1	20.2
Population who cannot speak English well or at all	1.1	0.7	0.7	1.7

Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census, 2011



Report - Ward 2016: North Blaby

Deprivation

Indices of Deprivation, 2015, Score

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
IMD 2015 Score	//	10.4	12.5	21.8

Source: DCLG © Copyright 2015. Please see metadata for further guidance on how to interpret IMD score

Indices of Deprivation, 2015, numbers

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
People living in means tested benefit households	4,204	7,530	59,295	7,790,220
Children living in income deprived households	945	1,700	14,114	2,016,120
People aged 60+ living in pension credit households	1,408	2,575	18,488	1,954,617


Source: DCLG © Copyright 2015

Indices of Deprivation, 2015, %

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
Income Deprivation	7.9	8	9	14.6
Child Poverty	9.4	9.7	12	19.9
Older People in Deprivation	10.9	10.8	11.3	16.2

Source: DCLG © Copyright 2015

Indices of Deprivation, 2015, %, Selection (comparing to England average)



Source: DCLG © Copyright 2015



Child Development, Education and Employment

Child development, education and employment indicators, numbers (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Blaby (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), and England. Rows include Low birth weight of term babies, A good level of development at age 5, and Achieving 5A*-C GCSE.

Source: Public Health England, ONS, NOMIS, DfE


Please note employment data for Wards is not available at this time

Child development, education and employment indicators, values (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Blaby (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), and England. Rows include Low birth weight of term babies, Child development at age 5, and GCSE achievement.

Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE



Report - Ward 2016: North Blaby

Health and Care

Health and care indicators, 2011, numbers

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
General health: very bad	449	824	6,053	660,749
General health: bad or very bad	2,174	3,905	28,020	2,911,195
Limiting long term illness or disability	8,166	14,798	105,423	9,352,586
Provides unpaid care for 1 or more hours per week	5,826	10,552	70,728	5,430,016
Provides unpaid care for 50 or more hours per week	1,107	2,074	14,040	1,256,237


Source: ONS Census, 2011

Health and care indicators, 2011, %

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
General health very bad	0.9	0.9	0.9	1.2
General health bad or very bad	4.1	4.2	4.3	5.5
Limiting long term illness or disability	15.5	15.8	16.2	17.6
Provides 1 hour or more unpaid care per week	11.1	11.2	10.9	10.2
Provides 50 hours or more unpaid care per week	2.1	2.2	2.2	2.4

Source: ONS Census, 2011

Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census, 2011



Housing and Living Environment

Housing and living environment indicators, 2011 and 2014, numbers

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England	
Fuel Poverty, 2014		1,543	2,844	24,100	2,379,357
Overcrowded households (at least 1 room too few)		722	1,177	9,791	1,928,596
Pensioners living alone		2,678	4,741	33,126	2,725,596


Source: ONS Census, 2011; Department of Energy and Climate Change, 2014

Housing and living environment indicators, 2011 and 2014, %

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England	
Fuel Poverty, 2014		7	7.2	8.8	10.6
Overcrowded households (at least 1 room too few)		3.3	3	3.7	8.7
Pensioners living alone		28.8	28.1	28.7	31.5

Source: ONS Census, 2011; Department of Energy and Climate Change, 2014

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census. Please note Fuel Poverty cannot be displayed on chart as it does not have confidence limits.



Report - Ward 2016: North Blaby

Children's Weight

Children's weight indicators, 2013/14-2015/16, numbers (estimated from MSOA level data)

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
Obese children (Reception Year)		108	214	1,667
Children with excess weight (Reception Year)		327	607	4,327
Obese children (Year 6)		264	437	3,120
Children with excess weight (Year 6)		493	845	5,802


Source: National Child Measurement Programme, NHS Digital © 2013-2016

Children's weight indicators, 2013/14-2015/16, % (estimated from MSOA level data)

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
Obese children (Reception Year)		6	6.9	8
Children with excess weight (Reception Year)		18.1	19.6	20.8
Obese children (Year 6)		16.1	15.1	16.4
Children with excess weight (Year 6)		30	29.1	30.4

Source: National Child Measurement Programme, NHS Digital © 2013-2016

Children's weight indicators, %, Selection (comparing to England average)



Source: National Child Measurement Programme, NHS Digital © 2013-2016



Report - Ward 2016: North Blaby

Children's health care activity

Children's health care activity, numbers, 2013/14 - 2015/16 (estimated from MSOA level data)

indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
Emergency Admissions 0-4 year olds		749	1,361	9,384
A&E attendances 0-4 year olds		4,810	8,148	44,823
Admission for injury 0-4 year olds		115	200	1,552
Admission for injury 0-14 year olds		329	593	4,148
Admission for injury 15-24 year olds		299	561	3,967


Source: Public Health England, NHS Digital 2017

Children's health care activity, values, 2013/14 - 2015/16 (estimated from MSOA level data)

indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
Emergency Admissions 0-4 year olds rate per 1,000		76.7	82.7	85.3
A&E attendances 0-4 year olds rate per 1,000		492.9	495.2	407.4
Admission for injury 0-4 year olds rate per 10,000		71	73	85
Admission for injury 0-14 year olds rate per 10,000		69.7	71.7	75
Admission for injury 15-24 year olds rate per 10,000		101.7	104	93.1

Source: Public Health England, NHS Digital 2017

Children's health care activity, Selection (comparing to England average)



Source: Public Health England, NHS Digital 2017



Report - Ward 2016: North Blaby

Adults' Behavioural Risk Factors

Adults' Behavioral Risk Factors, 2006-08, numbers (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Blaby (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), and England. Rows include Obese adults, Binge drinking adults, and Healthy eating adults.


Source: Public Health England © Copyright 2010

Adults' Behavioral Risk Factors, 2006-08, % (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Blaby (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), and England. Rows include Obese adults, Binge drinking adults, and Healthy eating adults.

Source: Public Health England © Copyright 2010

Adults' Behavioral Risk Factors, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



Report - Ward 2016: North Blaby

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2011/12 to 2015/16 (estimated from MSOA level data)

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
Emergency hospital admissions for all causes	23,871	42,260	283,357	26,930,251
Emergency hospital admissions for CHD*	654	1,132	7,602	688,090
Emergency hospital admissions for stroke	341	580	4,397	398,062
Emergency hospital admissions for MI*	394	668	4,483	335,723
Emergency hospital admissions for COPD*	536	984	6,356	583,448

Source: Public Health England, NHS Digital © Copyright 2017

* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease


Emergency Hospital Admissions, Standardised Admission Ratios (SAR), 2011/12 to 2015/16 (estimated from MSOA data)

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
Emergency hospital admissions for all causes	87.3	86.5	83.7	100
Emergency hospital admissions for CHD	89.5	85.2	82.7	100
Emergency hospital admissions for stroke	80.4	75.8	83.1	100
Emergency hospital admissions for MI	110.5	103.2	100	100
Emergency hospital admissions for COPD	85.8	86.5	81	100

Source: Public Health England, NHS Digital © Copyright 2017

Emergency Hospital admissions, SAR, 2011/12 to 2015/16, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: Public Health England, NHS Digital © Copyright 2017



Report - Ward 2016: North Blaby

Cancer incidence

Cancer incidence, numbers, 2011-2015 (estimated from MSOA level data)

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
All cancer		1,479	2,813	18,686
Breast cancer		241	461	3,043
Colorectal cancer		196	361	2,214
Lung cancer		157	299	2,088
Prostate cancer		159	307	2,195

Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2015 CASREF01)


Cancer incidence, Standardised Incidence Ratios (SIR), 2011-2015 (estimated from MSOA level data)

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England
All cancer		94.7	99	95.2
Breast cancer		103.9	108.7	104
Colorectal cancer		105.8	107.2	95.2
Lung cancer		78.3	82.2	83.2
Prostate cancer		74.5	78.9	81.3

Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2015 CASREF01)

Cancer incidence, SIR, 2011-2015, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System



Report - Ward 2016: North Blaby

Hospital admissions - harm and injury

Hospital admissions - harm and injury, numbers, 2011/12 to 2015/16 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Blaby (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), and England. Rows include Hospital stays for self harm, alcohol related harm, emergency admissions for hip fracture aged 65+, and elective admissions for hip and knee replacement.


Source: Public Health England, NHS Digital © Copyright 2017

Hospital admissions - harm and injury, Standardised Admission Ratios (SAR), 2011/12 to 2015/16 (estimated from MSOA)

Table with 5 columns: Indicator, Selection, Blaby (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), and England. Rows include Hospital stays for self harm, alcohol related harm, emergency admissions for hip fracture aged 65+, and elective admissions for hip and knee replacement.

Source: Public Health England, NHS Digital © Copyright 2017

Hospital admissions - harm and injury, SAR, 2011/12 to 2015/16, Selection (comparing to England average)



Source: Public Health England, NHS Digital © Copyright 2017



Report - Ward 2016: North Blaby

Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2011-2015

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England	
All causes		2,166	3,947	28,888	2,357,381
All cancer		715	1,285	8,469	666,658
All circulatory disease		558	1,022	7,848	646,138
Coronary heart disease		250	476	3,599	289,738
Stroke		138	246	1,877	165,375
Respiratory diseases		273	509	3,769	325,764

Source: Public Health England, produced from ONS data Copyright © 2017


Causes of deaths - all ages, Standardised Mortality Ratios (SMR), 2011-2015

Indicator	Selection	Blaby (Lower Tier Local Authority)	Leicestershire (Upper Tier Local Authority)	England	
All causes		87.2	88.2	92.8	100
All cancer		100.4	99.6	95	100
All circulatory disease		81.8	83.2	91.8	100
Coronary heart disease		81.4	85.9	93.5	100
Stroke		79.4	78.8	86.1	100
Respiratory diseases		79.5	82.5	87.5	100

Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - all ages, SMR, 2011-2015, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: Public Health England, produced from ONS data Copyright © 2017



Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2011-2015

Table with 5 columns: Indicator, Selection, Blaby (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), and England. Rows include All causes, aged under 65; All causes, aged under 75; All cancer, aged under 75; All circulatory disease, aged under 75; and Coronary heart disease, aged under 75.


Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - premature mortality, Standardised Mortality Ratios (SMR), 2011-2015

Table with 5 columns: Indicator, Selection, Blaby (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), and England. Rows include All causes, aged under 65; All causes, aged under 75; All cancer, aged under 75; All circulatory disease, aged under 75; and Coronary heart disease, aged under 75.

Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - premature mortality, SMR, 2011-2015, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2017