

Public Health Outcomes Framework: Update for Rutland

August 2018

Strategic Business Intelligence Team
Leicestershire County Council

Janine Johnson

Public Health Analyst

Strategic Business Intelligence Team
Strategy Business Intelligence Branch
Chief Executive's Department
Leicestershire County Council
County Hall, Glenfield
Leicester LE3 8RA

Tel 0116 305 4257

Email janine.johnson@leics.gov.uk


Produced by the Strategic Business Intelligence Team at Leicestershire County Council.

Whilst every effort has been made to ensure the accuracy of the information contained within this report, Leicestershire County Council cannot be held responsible for any errors or omission relating to the data contained within the report.

What have we learnt in the PHOF update?

1. First time entrants to the youth justice system continue to perform well


- The recent trend for first time entrants to the youth justice system shows Leicestershire and Rutland (combined) have significantly declined and have performed significantly better than England average for the last five years
- Compared to the previous year, the rate of first time entrants to the youth justice system in Leicestershire and Rutland has increased from 166.7 per 100,000 population aged 10-17 years in 2016 to 180.5 per 100,000 population aged 10-17 years in 2017, this equates to an increase of 9 first time entrants to the youth justice system.
- This increase is not reflected nationally as the England rate continues to decrease from 331.0 per 100,000 population aged 10-17 years in 2016 to 292.5 per 100,000 population aged 10-17 years in 2017.



2. Smoking in adults is on the decrease

Smoking prevalence in adults

- In 2017, in Rutland 9.3% of adults aged 18+ smoked, this is significantly better than the England average of 14.9%.
- Compared to the previous year, the number of current smokers has decreased from 3,831 in 2016 to 2,890 adults in 2017. This is a decrease of 941 adult smokers in one year.
- In 2017 in Rutland, the smoking prevalence between the genders is similar; this pattern is not witnessed nationally. In Rutland the smoking prevalence in males is 9.9% and in females is 8.6%. This is significantly lower than the national average for males (16.8%) and females (13.0%)
- In 2017, the smoking prevalence of working age adults (18-64 years) in Rutland is 12.6%. Adults who work in a managerial role have the lowest smoking prevalence (8.2%) whereas adults who work in an intermediate occupation have the highest smoking prevalence (18.1%). Nationally, adults who work in a routine role have the highest prevalence of smoking, whereas in Rutland 15.9% of this population smoke.



3. Health checks – Data quality issues

Cumulative percentage of the eligible population aged 40-74 who were offered an NHS health check

- There is a data quality issue with Rutland's values: This is because 12,986 people were offered an NHS health check whereas the total eligible population is 11,725. This means over 100% (110.7%) were offered an NHS health check between 2013/14 – 2017/18. This is why the PHOF states the value for this indicator is 100%.
- Over the same period, nationally 90.9% of the eligible population aged 40-74 was offered an

NHS health check.

Cumulative percentage of the eligible population aged 40-74 who were offered and received an NHS health check

- Over a cumulative five year period (2013/14-2017/18), 49.4% of the eligible population of Rutland aged 40-74 years who were offered an NHS health check received an NHS health check. This is calculated as 6,421 people aged 40-74 eligible for an NHS Health Check who have received an NHS Health Check in the five year period divided by 12,986 people aged 40-74 eligible for an NHS Health Check who were offered an NHS Health Check in the five year period. This local percentage is similar to the national average (48.7%).


Cumulative percentage of the eligible population aged 40-74 who received an NHS health check

- Over a cumulative five year period (2013/14-2017/18), 54.8% of the eligible population of Rutland aged 40-74 years received an NHS health check. This is calculated as 6,421 people aged 40-74 eligible for an NHS Health Check who received an NHS Health Check in the five year period divided by 11,725 people aged 40-74 eligible for an NHS Health Check in the five year period. Rutland performs significantly better than the national average of 44.3%.

4. Flu vaccination coverage continues to perform badly compared to benchmark


Population vaccination coverage – flu (aged 65+) (benchmark goal of higher than 75%)

- For eight consecutive years Leicestershire and Rutland (combined) have performed worse against the benchmark goal of higher than 75%. This pattern is also reflected nationally.
- Despite this, Leicestershire and Rutland have performed significantly higher than the national average since 2013/14. The local trend has also shown a significant increase over the last eight time periods.
- In 2017/18, 112,024 eligible adults aged 65+ in Leicestershire and Rutland received the flu vaccine, this equates to a coverage percentage of 74.1%. This is significantly higher than the national average of 72.6%.



Population vaccination coverage – flu (at risk individuals) (benchmark goal of higher than 55%)

- For eight consecutive years Leicestershire and Rutland (combined) have performed worse than the benchmark goal of higher than 55%. This pattern is also reflected nationally.
- The local trend has shown a significant decline over the last five time periods.
- In 2017/18, 39,668 at risk individuals aged 6 months to under 65 years (excluding healthy pregnant women and carers) in Leicestershire and Rutland received the flu vaccine, this equates to a coverage percentage of 48.5%. The national coverage is 48.9%.



Population vaccination coverage – flu (2-3 year olds) – new definition


- The age group for indicator 3.03xviii (Flu vaccination aged 2-3 years old) has been changed from 2-4 years old as 4 year olds are no longer vaccinated in a GP setting.

- In 2017/18, 61.4% of children aged 2-3 years in Leicestershire and Rutland received the flu vaccine, this is similar to the benchmarking goal of 40% - 65%.

5. Significant increase in children free from tooth decay in five year olds

Proportion of five year old children free from dental decay


- Rutland is currently the top performing county in the East Midlands and the 11th top performing county in England for the proportion of five year olds free from dental decay.
- Of the five year olds in Rutland who were examined for tooth decay in 2016/17, 84.4% were reported as being free from obvious dental decay, this equates to 198 children.
- Previously in 2011/12, Rutland performed significantly worse than the national average and in 2014/15, Rutland improved to perform similar to the national average. Between 2014/15 and 2016/17, a significant increase in the proportion of five year old children free from dental decay was witnessed. In 2016/17, Rutland now performs significantly better than the national average.



6. Chlamydia detection rate is improving

Chlamydia detection (benchmark goal of 1,900 per 100,000 population aged 15-24 years)

- Rutland continues to perform worse than the benchmark for chlamydia detection rate in 2017, but has seen a year on year increase since 2015
- In Rutland the chlamydia detection rate increased (got better) from a rate of 1,461 per 100,000 population aged 15-24 years in 2016 to 1,614 per 100,000 population aged 15-24 years in 2017. This reflects an increase of seven diagnoses throughout this time.




To note, the national rate of 1,882 per 100,000 is now rated significantly worse against the benchmark goal of 1,900 per 100,000 population aged 15-24 years.

7. Dementia diagnosis rate is getting worse

Estimated dementia diagnosis rate (aged 65+) (benchmark goal of 66.7%)

- In 2018, 330 Rutland residents aged 65+ who were registered with a GP had a diagnosis of dementia. This equates to 56.5% of the estimated number (584) of residents aged 65+ who would have been expected to have dementia in Rutland have been diagnosed.
- Over the last two years, the rate has remained lower than national. The rate has declined to be worse than the benchmark in 2018 from similar in 2017.



Appendix 1: Performance Summary


This release of the PHOF contains 254 indicators (including gender breakdowns). The overall findings are summarised below.

Overall performance across Rutland County is significantly better than the England average or against a benchmarking goal for 57 of the indicators presented in the PHOF. Performance is significantly worse for 13 indicators and these indicators need to show improvement.

Table 1: Summary of RAG Ratings for Rutland August 2018

Domain	Better	Similar	Worse	Not compared	Total
Overarching	8			8	16
Domain 1: Wider determinants of health	11	22	7	21	61
Domain 2: Health improvement	24	26		30	80
Domain 3: Health protection	1	3	3	23	30
Domain 4: Healthcare premature mortality	13	34	3	17	67
Total	57	85	13	99	254

Figure 1: Count of Rutland PHOF RAG ratings, August 2018



1. All Indicators - Rutland Performance Against Nearest Neighbours

Nearest CIPFA neighbours to Rutland available from PHOF tool include:

- Bath and North East Somerset
- Bedford
- Central Bedfordshire
- Cheshire East
- Cheshire West and Chester
- Cornwall
- East Riding of Yorkshire
- Herefordshire
- Isle of Wight
- North Somerset
- Shropshire
- Solihull
- South Gloucestershire
- West Berkshire
- Wiltshire

Rutland's performance for the updated indicators ranked in relation to nearest neighbours is summarised in Appendix 2. Best or lowest* performance is ranked 1. The value for each indicator for Rutland along with best and worse cluster performance is also provided.

** when no polarity has been applied, the indicator is ranked from low to high.*

Poor Performing Indicators Against Nearest Neighbours

There are currently 28 indicators where, when compared to similar areas, Rutland performs in the bottom three (worse performing). . These are:

Domain 1: Wider Determinants of Health

- 1.02i - School Readiness: the percentage of children achieving a good level of development at the end of reception 2016/17 (M) 16/16
- 1.02ii - School Readiness: the percentage of Year 1 pupils achieving the expected level in the phonics screening check 2016/17 (F) 16/16
- 1.08ii - Gap in the employment rate between those with a learning disability and the overall rate 2016/17 (M) 14/16
- 1.08ii - Gap in the employment rate between those with a learning disability and the overall rate 2016/17 (F) 16/16
- 1.08ii - Gap in the employment rate between those with a learning disability and the overall rate 2016/17 (P) 16/16
- 1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate 2016/17 (F) 14/14
- 1.08iii - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate 2016/17 (P) 15/15
- 1.08iv - Percentage of people aged 16-64 in employment 2016/17 (P) 16/16
- 1.09i - Sickness absence - % who had at least one day off in the previous week 2014 - 16 (P) 16/16
- 1.10 - Killed and seriously injured (KSI) casualties on England's roads 2014 - 16 (P) 16/16

Domain 2: Health Improvement

- 2.01 – Low birth weight of term babies 2016 (P) 14/16
- 2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds 2016/17 (P) 15/16
- 2.07i - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years) (M) 14/16
- 2.08ii – Percentage of children where there is a cause for concern 2016/17 (P) 15/16
- 2.09iii - Smoking prevalence at age 15 - occasional smokers (WAY survey) 2014/15 (P) 16/16
- 2.20iv - Abdominal Aortic Aneurysm Screening - Coverage 2016/17 (M) 16/16
- 2.23iv - Self-reported wellbeing - people with a high anxiety score 2016/17 (P) 14/16

Domain 3: Health Protection

- 3.01 - Fraction of mortality attributable to particulate air pollution 2016 (P) 14/16
- 3.02 - Chlamydia detection rate (15-24 year olds) 2017 (F) 14/16
- 3.03xvi – Population vaccination coverage – HPV vaccination coverage for two doses (13-14 years) 2016/17 (F) 14/16
- 3.06 - NHS organisations with a board approved sustainable development management plan 2015/16 (N/A) 15/16

Domain 4: Healthcare Public Health and Preventing Premature Mortality

- 4.01 - Infant mortality 2014 - 16 (P) 15/16
- 4.05ii - Under 75 mortality rate from cancer considered preventable 2014 - 16 (F) 15/16
- 4.06ii - Under 75 mortality rate from liver disease considered preventable 2014 - 16 (M) 15/16
- 4.12ii – Preventable sight loss – glaucoma 2017/17 (P) 16/16
- 4.12ii – Preventable sight loss – sight loss certification 2016/17 (P) 15/16
- 4.14i - Hip fractures in people aged 65 and over 2016/17 (M) 16/16
- 4.16 – Estimated dementia diagnosis rate (aged 65+) 2018 (P) 15/16

2. All Indicators - Rutland's Performance is Getting Worse

From August 2016, markers of significant trend were added to the PHOF. When there are at least five consecutive non-overlapping data points available for a proportion or crude rate indicator, a chi-squared statistical test for trend is carried out on the most recent five points. If there is no significant trend in the most recent five points, the test is redone, including an additional (sixth) point, and so on, going further back until the full series has been tested.

The following indicators have a most recent trend of “getting worse” in Rutland:

- 2.20i - Cancer screening coverage - breast cancer 2017 (F)
- 2.20ii - Cancer screening coverage - cervical cancer 2017 (F)

3. All Indicators - Rutland Performance against National

Currently, performance is significantly worse for 12 indicators and these indicators need to show improvement. These are:

Domain 1: Wider Determinants of Health

- 1.06ii - Adults with secondary Mental Health services who live in stable and appropriate accommodation, 2016/17 (M)
- 1.06ii - Adults with secondary Mental Health services who live in stable and appropriate accommodation, 2016/17 (P)
- 1.08ii - Gap in employment rate between those with learning disabilities and the overall employment rate 2016/17 (F)
- 1.08ii - Gap in employment rate between those with learning disabilities and the overall employment rate 2016/17 (P)
- 1.08iii - Gap in employment for those in contact with secondary Mental Health services and overall employment rate 2016/17 (F)
- 1.08iii - Gap in employment for those in contact with secondary Mental Health services and overall employment rate 2016/17 (P)
- 1.10 - Killed and seriously injured (KSI) casualties on England's roads 2014 – 16 (P)

Domain 2: Health Improvement

- No indicators in the Health Improvement domain are performing worse than England

Domain 3: Health Protection

- 3.02 - Chlamydia detection rate (15-24 year olds) 2017 (P)
- 3.03xvi – Population vaccination coverage – HPV vaccination coverage for two doses (13-14 year old) 2016/17 (F)
- 3.03xvii – Population vaccination coverage – Shingles vaccination coverage (70 years) 2016/17 (P)

Domain 4: Healthcare Public Health and Preventing Premature Mortality

- 4.12iv – Preventable sight loss – sight loss certifications (P) 2016/17
- 4.16 – Estimated dementia diagnosis rate (aged 65+) 2018 (P)

Overarching Indicators: Rutland

Indicator	Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
0.1i - Healthy life expectancy at birth, (F), 2014 - 16	70.2	1/16	70.2	62.4	63.9		●
0.1i - Healthy life expectancy at birth, (M), 2014 - 16	68.8	1/16	68.8	61.9	63.3		●
0.1ii - Life expectancy at 65, (F), 2014 - 16	23.0	1/16	23.0	20.9	21.1		●
0.1ii - Life expectancy at 65, (M), 2014 - 16	20.2	1/16	20.2	18.8	18.8		●
0.1ii - Life expectancy at birth, (F), 2014 - 16	85.4	1/16	85.4	82.8	83.1		●
0.1ii - Life expectancy at birth, (M), 2014 - 16	82.1	1/16	82.1	79.5	79.5		●
0.2i - Inequality in life expectancy at birth ENGLAND, (F), 2014 - 16	Null	Null	Null	Null	7.3		●
0.2i - Inequality in life expectancy at birth ENGLAND, (M), 2014 - 16	Null	Null	Null	Null	9.3		●
0.2iii - Inequality in life expectancy at 65 LA, (F), 2014 - 16	Null	Null	Null	Null	Null		●
0.2iii - Inequality in life expectancy at 65 LA, (M), 2014 - 16	Null	Null	Null	Null	Null		●
0.2iii - Inequality in life expectancy at birth LA, (F), 2014 - 16	Null	Null	Null	Null	Null		●
0.2iii - Inequality in life expectancy at birth LA, (M), 2014 - 16	Null	Null	Null	Null	Null		●
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole, (F), 2014 - 16	2.3	1/16	2.3	-0.3	0.0		●
0.2iv - Gap in life expectancy at birth between each local authority and England as a whole, (M), 2014 - 16	2.6	1/16	2.6	0.0	0.0		●
0.2vi - Inequality in healthy life expectancy at birth LA, (F), 2009 - 13	Null	Null	Null	Null	Null		●
0.2vi - Inequality in healthy life expectancy at birth LA, (M), 2009 - 13	Null	Null	Null	Null	Null		●

Statistical Significance compared to England or Benchmark:

- Better
- Same
- Worse
- Higher
- Lower
- Not compared

Direction of Travel:

- ▲ Increasing
- ▼ Decreasing
- ▲ Increasing and getting better
- ▼ Decreasing and getting better
- ▲ Increasing and getting worse
- ▼ Decreasing and getting worse
- ▲ No significant change
- Cannot be calculated

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied)

Source: August 2018 PHOF, PHE

Wider Determinants of Health: Rutland

Indicator	Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
1.01i - Children in low income families (all dependent children under 20), (P), 2015	7.1	1/16	7.1	17.4	16.6	▲	●
1.01ii - Children in low income families (under 16s), (P), 2015	7.2	1/16	7.2	17.8	16.8	▲	●
1.02i - School Readiness: % of children achieving a GLOD at reception, (F), 2016/17	81.4	13/16	73.7	84.7	77.7	▲	●
1.02i - School Readiness: % of children achieving a GLOD at reception, (M), 2016/17	70.8	16/16	60.1	70.8	64.0	▲	●
1.02i - School Readiness: % of children achieving a GLOD at reception, (P), 2016/17	75.7	3/16	77.2	66.7	70.7	▲	●
1.02i - School Readiness: % of children with FSM status achieving a GLOD at reception, (F), 2016/17	Null	Null	Null	Null	64.4	—	●
1.02i - School Readiness: % of children with FSM status achieving a GLOD at reception, (M), 2016/17	Null	Null	Null	Null	48.1	—	●
1.02i - School Readiness: % of children with FSM status achieving a GLOD at reception, (P), 2016/17	63.6	1/16	63.6	47.4	56.0	▲	●
1.02ii - School Readiness: % of Yr 1 pupils achieving the level in phonics check, (F), 2016/17	89.0	16/16	81.5	89.0	84.8	▲	●
1.02ii - School Readiness: % of Yr 1 pupils achieving the level in phonics check, (M), 2016/17	78.8	10/16	70.3	81.2	77.6	▲	●
1.02ii - School Readiness: % of Yr 1 pupils achieving the level in phonics check, (P), 2016/17	83.3	4/16	84.6	75.9	81.1	▲	●
1.02ii - School Readiness: % of Yr 1 pupils with FSM status ach level in the phonics check, (F), 2016/17	Null	Null	Null	Null	73.9	—	●
1.02ii - School Readiness: % of Yr 1 pupils with FSM status ach level in the phonics check, (M), 2016/17	Null	Null	Null	Null	63.2	—	●
1.02ii - School Readiness: % of Yr 1 pupils with FSM status ach level in the phonics check, (P), 2016/17	61.1	8/16	76.3	53.8	68.4	▲	●
1.03 - Pupil absence, (P), 2016/17	3.1	1/16	3.1	4.9	4.7	▲	●
1.04 - First time entrants to the youth justice system, (P), 2017	Null	Null	Null	Null	292.5	—	●
1.05 - 16-17 year olds NEET or whose activity is not known - current method, (F), 2016	4.6	10/16	2.0	9.7	5.4	—	●
1.05 - 16-17 year olds NEET or whose activity is not known - current method, (M), 2016	5.8	10/16	2.4	10.9	6.6	—	●
1.05 - 16-17 year olds NEET or whose activity is not known - current method, (P), 2016	5.2	10/16	2.2	10.3	6.0	—	●
1.05 - 16-18 year olds NEET - historical method, (P), 2015	2.1	1/16	2.1	5.4	4.2	—	●
1.06i - Adults with a learning disability who live in stable and appropriate accom, (F), 2016/17	68.0	4/16	44.2	88.3	76.8	▲	●
1.06i - Adults with a learning disability who live in stable and appropriate accom, (M), 2016/17	73.0	7/16	46.7	82.6	75.8	▲	●
1.06i - Adults with a learning disability who live in stable and appropriate accom, (P), 2016/17	71.0	13/16	85.1	45.2	76.2	▲	●
1.06ii - Adults with secondary MH services who live in stable and appropriate accom., (F), 2016/17	36.0	4/15	3.0	89.0	56.0	—	●
1.06ii - Adults with secondary MH services who live in stable and appropriate accom., (M), 2016/17	6.0	3/15	2.0	83.0	53.0	—	●
1.06ii - Adults with secondary MH services who live in stable and appropriate accom., (P), 2016/17	23.0	13/16	84.0	3.0	54.0	—	●
1.08i - Gap in the employment rate between those with LTC and the overall rate, (P), 2016/17	30.1	8/16	19.4	38.5	29.4	—	●
1.08ii - Gap in the employment rate between those with LD and the overall rate, (F), 2016/17	78.4	16/16	59.4	78.4	64.5	—	●
1.08ii - Gap in the employment rate between those with LD and the overall rate, (M), 2016/17	79.6	14/16	67.5	81.8	73.3	—	●
1.08ii - Gap in the employment rate between those with LD and the overall rate, (P), 2016/17	78.7	16/16	65.1	78.7	68.7	—	●
1.08iii - Gap in employment for those in contact with sec MH services and overall rate, (F), 2016/17	75.4	14/14	50.6	75.4	60.5	—	●
1.08iii - Gap in employment for those in contact with sec MH services and overall rate, (M), 2016/17	Null	Null	Null	Null	73.5	—	●
1.08iii - Gap in employment for those in contact with sec MH services and overall rate, (P), 2016/17	78.3	15/15	58.2	78.3	67.4	—	●
1.08iv - Percentage of people aged 16-64 in employment, (F), 2016/17	78.4	16/16	65.1	78.4	69.5	▲	●
1.08iv - Percentage of people aged 16-64 in employment, (M), 2016/17	82.3	8/16	76.9	87.5	79.5	▲	●
1.08iv - Percentage of people aged 16-64 in employment, (P), 2016/17	80.3	5/16	81.7	73.5	74.4	▲	●

Statistical Significance compared to England or Benchmark:

- Better
- Same
- Worse
- Higher
- Lower
- Not compared

Direction of Travel:

- ▲ Increasing
- ▼ Decreasing
- ▲ Increasing and getting better
- ▼ Decreasing and getting better
- ▲ Increasing and getting worse
- ▼ Decreasing and getting worse
- ▲ No significant change
- Cannot be calculated

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied)

Source: August 2018 PHOF, PHE

Wider Determinants of Health (cont): Rutland

Indicator	Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
1.09i - Sickness absence - % who had at least one day off in the previous week, (P), 2014 - 16	2.6	16/16	1.4	2.6	2.1	■	●
1.09ii - Sickness absence - % of working days lost due to sickness absence, (P), 2014 - 16	1.3	10/16	0.6	1.5	1.2	■	●
1.10 - Killed and seriously injured (KSI) casualties on England's roads, (P), 2014 - 16	70.1	16/16	19.2	70.1	39.7	■	●
1.11 - Domestic abuse - historic method, (P), 2014/15	20.6	10/16	5.5	22.7	20.4	■	●
1.11 - Domestic abuse-related incidents and crimes - current method, (P), 2016/17	18.7	4/16	10.7	30.1	22.5	■	●
1.12i - Violent crime (including sexual violence) - hospital admissions for violence, (F), 2014/15 - 16/17	Null	Null	Null	Null	17.2	■	●
1.12i - Violent crime (including sexual violence) - hospital admissions for violence, (M), 2014/15 - 16/17	Null	Null	Null	Null	68.4	■	●
1.12i - Violent crime (including sexual violence) - hospital admissions for violence, (P), 2014/15 - 16/17	30.0	9/16	14.5	47.4	42.9	■	●
1.12ii - Violent crime (inc sexual violence) - violence offences per 1,000 pop, (P), 2016/17	7.0	1/16	7.0	26.4	20.0	▲	●
1.12iii - Violent crime (inc sexual violence) - rate of sexual offences per 1,000 pop, (P), 2016/17	0.8	1/16	0.8	3.0	1.9	▲	●
1.13i - Re-offending levels - percentage of offenders who re-offend, (P), 2014	20.0	1/16	20.0	28.2	25.4	▲	●
1.13ii - Re-offending levels - average number of re-offences per offender, (P), 2014	0.6	3/16	0.6	1.0	0.8	▲	●
1.13iii - First time offenders, (P), 2017	51.3	1/16	51.3	230.2	166.4	▲	●
1.14i - The rate of complaints about noise, (P), 2015/16	2.8	6/16	0.9	14.4	6.3	▲	●
1.14ii - % exposed to road, rail, air transport noise of 65dB(A) or more, during the day, (P), 2011	0.8	1/16	0.8	6.8	5.2	■	●
1.14iii - % exposed to road, rail, air transport noise of 55 dB(A) or more during the night, (P), 2011	1.2	1/16	1.2	9.2	8.0	■	●
1.15i - Statutory homelessness - Eligible homeless people not in priority need, (P), 2016/17	Null	Null	Null	Null	0.8	■	●
1.15ii - Statutory homelessness - households in temporary accommodation, (P), 2016/17	Null	Null	Null	Null	3.3	■	●
1.16 - Utilisation of outdoor space for exercise/health reasons, (P), Mar 2015 - Feb 2016	Null	Null	Null	Null	17.9	■	●
1.17 - Fuel poverty, (P), 2015	11.3	11/16	6.7	16.6	11.0	▲	●
1.18i - Social Isolation: % of SC users with as much social contact as they would like, (P), 2016/17	46.5	11/16	52.5	40.3	45.4	■	●
1.18ii - Social Isolation: % of adult carers with as much social contact as they would like, (P), 2016/17	31.1	11/16	47.6	21.5	35.5	■	●

Statistical Significance compared to England or Benchmark:

- Better
- Same
- Worse
- Higher
- Lower
- Not compared

Direction of Travel:

- ▲ Decreasing
- ▲ Decreasing and getting better
- ▲ Decreasing and getting worse
- ▲ Increasing
- ▲ Increasing and getting better
- ▲ Increasing and getting worse

Other Indicators:

- ▲ No significant change
- Cannot be calculated

Health Improvement: Rutland

Indicator	Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
2.01 - Low birth weight of term babies, (P), 2016	2.7	14/16	1.5	2.9	2.8	■	●
2.02i - Breastfeeding initiation, (F), 2016/17	81.1	3/14	85.8	66.3	74.5	■	●
2.02ii - Breastfeeding prevalence at 6-8 weeks after birth - current method, (P), 2016/17	Null	Null	Null	Null	44.4	■	●
2.03 - Smoking status at time of delivery - current method, (F), 2016/17	Null	Null	Null	Null	10.7	■	●
2.03 - Smoking status at time of delivery - historical method, (F), 2016/17	Null	Null	Null	Null	10.5	■	●
2.04 - Under 18 conceptions, (F), 2016	4.7	1/16	4.7	24.2	18.8	▲	●
2.04 - Under 18 conceptions: conceptions in those aged under 16, (F), 2016	Null	Null	Null	Null	3.0	■	●
.. children aged 2-2½yrs receiving ASQ-3 as part of the Healthy Child Programme or integrated review, (P), 2016/17	Null	Null	Null	Null	89.4	■	●
2.06i - Child excess weight in 4-5 and 10-11 year olds - 4-5 year olds, (P), 2016/17	24.0	15/16	18.2	26.7	22.6	▲	●
2.06ii - Child excess weight in 4-5 and 10-11 year olds - 10-11 year olds, (P), 2016/17	25.4	1/16	25.4	35.7	34.2	▲	●
2.07i - Hosp adm caused by unintentional and deliberate injuries in children (aged 0-4 yrs), (F), 2016/17	67.6	1/16	67.6	170.1	112.0	■	●
2.07i - Hosp adm caused by unintentional and deliberate injuries in children (aged 0-4 yrs), (M), 2016/17	137.1	6/16	89.5	257.3	140.0	■	●
2.07i - Hosp adm caused by unintentional and deliberate injuries in children (aged 0-4 yrs), (P), 2016/17	103.5	3/16	90.9	215.4	126.3	▲	●
2.07i - Hosp adm caused by unintentional and deliberate injuries in children (aged 0-14 yrs), (F), 2016/17	55.4	1/16	55.4	117.0	89.7	■	●
2.07i - Hosp adm caused by unintentional and deliberate injuries in children (aged 0-14 yrs), (M), 2016/17	144.0	14/16	82.3	163.1	112.7	■	●
2.07i - Hosp adm caused by unintentional and deliberate injuries in children (aged 0-14 yrs), (P), 2016/17	101.0	8/16	72.8	138.9	101.5	▲	●
2.07ii - Hosp adm caused by uninten and delib injuries in young people (aged 15-24 years), (F), 2016/17	50.0	1/16	50.0	176.2	126.3	■	●
2.07ii - Hosp adm caused by uninten and delib injuries in young people (aged 15-24 years), (M), 2016/17	126.0	5/16	87.7	170.8	131.8	■	●
2.07ii - Hosp adm caused by uninten and delib injuries in young people (aged 15-24 years), (P), 2016/17	92.5	1/16	92.5	167.7	129.2	▲	●
2.08i - Avg difficulties score for all LAC aged 5-16 who have been in care => 12 mths, (P), 2016/17	15.7	12/16	12.7	16.8	14.1	■	●
2.08ii - Percentage of children where there is a cause for concern, (P), 2016/17	54.5	15/16	30.5	57.1	38.1	■	●
2.09i - Smoking prevalence at age 15 - current smokers (WAY survey), (P), 2014/15	9.5	13/16	4.7	11.7	8.2	■	●
2.09ii - Smoking prevalence at age 15 - regular smokers (WAY survey), (P), 2014/15	4.5	4/16	2.7	6.9	5.5	■	●
2.09iii - Smoking prevalence at age 15 - occasional smokers (WAY survey), (P), 2014/15	5.0	16/16	1.7	5.0	2.7	■	●
2.10i - Emergency Hospital Admissions for Intentional Self-Harm, (F), 2016/17	Null	Null	Null	Null	233.7	■	●
2.10ii - Emergency Hospital Admissions for Intentional Self-Harm, (M), 2016/17	Null	Null	Null	Null	138.8	■	●
2.10ii - Emergency Hospital Admissions for Intentional Self-Harm, (P), 2016/17	102.8	1/16	102.8	241.9	185.3	■	●
2.11iv - Prop of the pop. meeting the recommended "5-a-day" at age 15, (P), 2014/15	63.3	1/16	63.3	46.8	52.4	■	●
2.11v - Average number of portions of fruit consumed daily at age 15 (WAY survey), (P), 2014/15	2.4	9/16	2.6	2.1	2.4	■	●
2.11vi - Average number of portions of vegetables consumed daily at age 15 (WAY survey), (P), 2014/15	2.7	4/16	2.8	2.2	2.4	■	●

Statistical Significance compared to England or Benchmark:

- Better
- Same
- Worse

Direction of Travel:

- ▲ Increasing
- ▼ Decreasing
- ▲ Increasing and getting better
- ▼ Decreasing and getting better
- ▲ Increasing and getting worse
- ▼ Decreasing and getting worse

Other Indicators:

- ▲ No significant change
- Cannot be calculated

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied) Source: August 2018 PHOF, PHE

Health Improvement (cont): Rutland

Indicator	Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
2.14 - Smoking Prevalence in adults - current smokers (APS), (F), 2017	8.6	1/16	8.6	15.8	13.0	—	●
2.14 - Smoking Prevalence in adults - current smokers (APS), (M), 2017	9.9	1/16	9.9	17.6	16.8	—	●
2.14 - Smoking Prevalence in adults - current smokers (APS), (P), 2017	9.3	1/16	9.3	16.4	14.9	—	●
	12.6	4/16	11.1	19.3	17.0	—	●
2.15i - Successful completion of drug treatment - opiate users, (P), 2016	Null	Null	Null	Null	6.7	—	●
2.15ii - Successful completion of drug treatment - non-opiate users, (P), 2016	Null	Null	Null	Null	37.1	—	●
2.15iii - Successful completion of alcohol treatment, (P), 2016	Null	Null	Null	Null	38.7	—	●
2.15iv - Deaths from drug misuse, (F), 2015 - 17	Null	Null	Null	Null	2.3	—	●
2.15iv - Deaths from drug misuse, (M), 2015 - 17	Null	Null	Null	Null	6.3	—	●
2.15iv - Deaths from drug misuse, (P), 2015 - 17	Null	Null	Null	Null	4.3	—	●
2.16 - Adults with SM treatment: need who engage in comm-based treatment after prison, (P), 2016/17	Null	Null	Null	Null	30.3	—	●
2.18 - Admission episodes for alcohol-related conditions - narrow definition, (F), 2016/17	375.3	3/16	355.3	586.9	473.2	—	●
2.18 - Admission episodes for alcohol-related conditions - narrow definition, (M), 2016/17	527.5	1/16	527.5	918.4	818.4	—	●
2.18 - Admission episodes for alcohol-related conditions - narrow definition, (P), 2016/17	444.5	1/16	444.5	738.0	636.4	—	●
2.19 - Cancer diagnosed at early stage (experimental statistics), (P), 2016	48.1	1/16	48.1	60.0	52.6	▲	●
2.20i - Cancer screening coverage - breast cancer, (F), 2017	80.1	5/16	82.2	72.9	75.4	▼	●
2.20ii - Cancer screening coverage - cervical cancer, (F), 2017	77.9	3/16	78.5	71.6	72.0	▼	●
2.20iii - Cancer screening coverage - bowel cancer, (P), 2017	67.6	1/16	67.6	58.4	58.8	—	●
2.20iv - Abdominal Aortic Aneurysm Screening - Coverage, (M), 2016/17	80.0	16/16	86.8	80.0	80.9	—	●
2.20ix - Infectious Diseases in Pregnancy Screening - Hepatitis B Coverage, (F), 2015	Null	Null	Null	Null	98.1	—	●
2.20xiii - Infectious Diseases in Pregnancy Screening - Syphilis Coverage, (F), 2015	Null	Null	Null	Null	98.2	—	●
2.20xi - Newborn Blood Spot Screening - Coverage, (P), 2016/17	Null	Null	Null	Null	96.5	—	●
2.20xii - Newborn Hearing Screening - Coverage, (P), 2016/17	Null	Null	Null	Null	98.4	—	●
2.22ii - Cumul % of the eligible pop aged 40-74 offered an NHS Health Check, (P), 2013/14 - 17/18	110.8	3/16	121.6	44.5	90.9	—	●
2.22iv - Cumul % of eligible pop aged 40-74 offered and received an NHS Health Check, (P), 2013/14 - 17/18	49.4	5/16	65.7	21.2	48.7	—	●
2.22v - Cumul % of the eligible pop aged 40-74 who received an NHS Health check, (P), 2013/14 - 17/18	54.8	2/16	61.5	18.1	44.3	—	●
2.23i - Self-reported wellbeing - people with a low satisfaction score, (P), 2016/17	Null	Null	Null	Null	4.5	—	●
2.23ii - Self-reported wellbeing - people with a low worthwhile score, (P), 2016/17	Null	Null	Null	Null	3.6	—	●
2.23iii - Self-reported wellbeing - people with a low happiness score, (P), 2016/17	Null	Null	Null	Null	8.5	—	●
2.23iv - Self-reported wellbeing - people with a high anxiety score, (P), 2016/17	21.8	14/16	12.6	22.4	19.9	—	●
2.24i - Emergency hospital admissions due to falls in people aged 65 and over, (F), 2016/17	1,760.1	3/16	1,558.4	2,883.1	2,395.6	—	●
2.24i - Emergency hospital admissions due to falls in people aged 65 and over, (M), 2016/17	1,222.1	4/16	1,074.9	2,116.0	1,714.9	—	●
2.24i - Emergency hospital admissions due to falls in people aged 65 and over, (P), 2016/17	1,579.0	3/16	1,344.6	2,523.7	2,113.8	—	●
2.24ii - Emergency hospital admissions due to falls in people aged 65-79, (F), 2016/17	Null	Null	Null	Null	1,152.5	—	●
2.24ii - Emergency hospital admissions due to falls in people aged 65-79, (M), 2016/17	Null	Null	Null	Null	813.8	—	●
2.24ii - Emergency hospital admissions due to falls in people aged 65-79, (P), 2016/17	630.6	1/16	630.6	1,224.4	993.3	—	●
2.24iii - Emergency hospital admissions due to falls in people aged 80+, (F), 2016/17	5,194.0	5/16	3,535.8	7,433.5	6,000.9	—	●
2.24iii - Emergency hospital admissions due to falls in people aged 80+, (M), 2016/17	2,762.8	2/16	2,596.0	5,458.1	4,328.4	—	●
2.24iii - Emergency hospital admissions due to falls in people aged 80+, (P), 2016/17	4,329.3	4/16	3,159.2	6,627.4	5,363.2	—	●

Statistical Significance compared to England or Benchmark:

- Better
- Same
- Worse
- Higher
- Lower
- Not compared

Direction of Travel:

- ▲ Increasing
- ▼ Decreasing
- ▲ Increasing and getting better
- ▼ Decreasing and getting better
- ▲ Increasing and getting worse
- ▼ Decreasing and getting worse
- ▲ No significant change
- Cannot be calculated

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied) Source: August 2018 PHOF, PHE

Health Protection: Rutland

Indicator	Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
3.01 - Fraction of mortality attributable to particulate air pollution, (P), 2016	5.4	14/16	3.5	5.9	5.3	—	●
3.02 - Chlamydia detection rate (15-24 year olds), (F), 2017	1,636.9	14/16	3,915.3	1,557.0	2,501.8	▲	●
3.02 - Chlamydia detection rate (15-24 year olds), (M), 2017	1,596.0	3/16	1,983.9	689.0	1,263.6	▲	●
3.02 - Chlamydia detection rate (15-24 year olds), (P), 2017	1,614.0	8/16	2,966.0	1,103.1	1,881.9	▲	●
3.03i - Population vaccination coverage - Hepatitis B (1 year old), (P), 2016/17	0.0	8/9	100.0	0.0	Null	—	●
3.03i - Population vaccination coverage - Hepatitis B (2 years old), (P), 2016/17	0.0	6/8	100.0	0.0	Null	—	●
3.03ii - Population vaccination coverage - BCG - areas offering universal BCG only, (P), 2016/17	Null	Null	Null	Null	Null	—	●
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old), (P), 2016/17	Null	Null	Null	Null	93.4	—	●
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old), (P), 2016/17	Null	Null	Null	Null	95.1	—	●
3.03iv - Population vaccination coverage - MenC, (P), 2015/16	Null	Null	Null	Null	Null	—	●
3.03ix - Population vaccination coverage - MMR for one dose (5 years old), (P), 2016/17	Null	Null	Null	Null	95.0	—	●
3.03v - Population vaccination coverage - PCV, (P), 2016/17	Null	Null	Null	Null	93.5	—	●
3.03vi - Population vaccination coverage - Hib / MenC booster (5 years old), (P), 2016/17	Null	Null	Null	Null	92.6	—	●
3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old), (P), 2016/17	Null	Null	Null	Null	91.5	—	●
3.03vii - Population vaccination coverage - PCV booster, (P), 2016/17	Null	Null	Null	Null	91.5	—	●
3.03viii - Population vaccination coverage - MMR for one dose (2 years old), (P), 2016/17	Null	Null	Null	Null	91.6	—	●
3.03x - Population vaccination coverage - MMR for two doses (5 years old), (P), 2016/17	Null	Null	Null	Null	87.6	—	●
3.03xii - Pop vaccination coverage - HPV vaccination coverage for one dose (12-13 yrs), (F), 2016/17	88.8	12/16	94.0	78.6	87.2	—	●
3.03xiii - Population vaccination coverage - PPV, (P), 2016/17	71.1	8/16	75.2	66.7	69.8	—	●
3.03xiv - Population vaccination coverage - Flu (aged 65+), (P), 2017/18	Null	Null	Null	Null	72.6	—	●
3.03xv - Population vaccination coverage - Flu (at risk individuals), (P), 2017/18	Null	Null	Null	Null	48.9	—	●
3.03xvi - Pop vaccination coverage - HPV vaccination coverage for two doses (13-14 yrs), (F), 2016/17	75.8	14/16	95.0	57.6	83.1	—	●
3.03xvii - Population vaccination coverage - Shingles vaccination coverage (70 years old), (P), 2016/17	47.6	13/16	60.2	40.1	48.3	—	●
3.03xviii - Population vaccination coverage - Flu (2-4 years old) - historical method, (P), 2016/17	Null	Null	Null	Null	38.1	—	●
3.03xviii - Population vaccination coverage - Flu (2-3 years old) - current method, (P), 2017/18	Null	Null	Null	Null	43.5	—	●
3.04 - HIV late diagnosis, (P), 2014 - 16	Null	Null	Null	Null	40.1	—	●
3.05i - Treatment completion for TB, (P), 2015	Null	Null	Null	Null	83.4	—	●
3.05ii - Incidence of TB, (P), 2014 - 16	3.5	9/16	1.6	12.0	10.9	—	●
3.06 - NHS.org with a board app sustainable dev management plan, (N/A), 2015/16	40.0	15/16	100.0	33.3	66.2	▲	●
3.08 - Adjusted antibiotic prescribing in primary care by the NHS, (P), 2017	1.0	9/16	0.8	1.1	1.0	—	●

Statistical Significance compared to England or Benchmark:
● Better ● Same ● Worse
▲ Higher ● Lower ● Not compared
▼ Decreasing ▲ Increasing ▲ Decreasing and getting better ▲ Increasing and getting better ▲ Decreasing and getting worse ▲ Increasing and getting worse

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied) Source: August 2018 PHOF, PHE

Healthcare Premature Mortality: Rutland

Indicator	Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
4.01 - Infant mortality, (P), 2014 - 16	4.9	15/16	2.2	5.4	3.9	—	●
4.02 - Proportion of five year old children free from dental decay, (P), 2016/17	84.4	2/12	85.2	68.7	76.7	—	●
4.03 - Mortality rate from causes considered preventable, (F), 2014 - 16	123.5	8/16	102.7	152.3	138.5	—	●
4.03 - Mortality rate from causes considered preventable, (M), 2014 - 16	162.8	1/16	162.8	234.5	230.4	—	●
4.03 - Mortality rate from causes considered preventable, (P), 2014 - 16	143.0	1/16	143.0	190.8	182.8	—	●
4.04i - Under 75 mortality rate from all cardiovascular diseases, (F), 2014 - 16	36.0	4/16	29.0	47.8	45.8	—	●
4.04i - Under 75 mortality rate from all cardiovascular diseases, (M), 2014 - 16	71.3	1/16	71.3	118.0	102.7	—	●
4.04i - Under 75 mortality rate from all cardiovascular diseases, (P), 2014 - 16	53.5	2/16	49.8	79.0	73.5	—	●
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable, (F), 2014 - 16	Null	Null	Null	Null	24.3	—	●
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable, (M), 2014 - 16	60.3	7/16	53.3	80.3	70.4	—	●
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable, (P), 2014 - 16	37.4	4/16	34.9	50.0	46.7	—	●
4.05i - Under 75 mortality rate from cancer, (F), 2014 - 16	108.3	4/16	101.4	128.4	122.6	—	●
4.05i - Under 75 mortality rate from cancer, (M), 2014 - 16	92.4	1/16	92.4	153.1	152.1	—	●
4.05i - Under 75 mortality rate from cancer, (P), 2014 - 16	100.0	1/16	100.0	140.2	136.8	—	●
4.05ii - Under 75 mortality rate from cancer considered preventable, (F), 2014 - 16	77.9	15/16	56.4	82.8	73.4	—	●
4.05ii - Under 75 mortality rate from cancer considered preventable, (M), 2014 - 16	53.0	1/16	53.0	90.8	85.9	—	●
4.05ii - Under 75 mortality rate from cancer considered preventable, (P), 2014 - 16	65.2	3/16	61.6	86.7	79.4	—	●
4.06i - Under 75 mortality rate from liver disease, (F), 2014 - 16	Null	Null	Null	Null	12.8	—	●
4.06i - Under 75 mortality rate from liver disease, (M), 2014 - 16	22.9	9/16	14.5	27.9	23.9	—	●
4.06i - Under 75 mortality rate from liver disease, (P), 2014 - 16	16.3	9/16	12.0	20.6	18.3	—	●
4.06ii - Under 75 mortality rate from liver disease considered preventable, (F), 2014 - 16	Null	Null	Null	Null	10.9	—	●
4.06ii - Under 75 mortality rate from liver disease considered preventable, (M), 2014 - 16	22.9	15/16	12.9	25.5	21.5	—	●
4.06ii - Under 75 mortality rate from liver disease considered preventable, (P), 2014 - 16	14.5	10/16	10.5	18.5	16.1	—	●
4.07i - Under 75 mortality rate from respiratory disease, (F), 2014 - 16	Null	Null	Null	Null	28.7	—	●
4.07i - Under 75 mortality rate from respiratory disease, (M), 2014 - 16	25.4	3/16	22.7	37.7	39.2	—	●
4.07i - Under 75 mortality rate from respiratory disease, (P), 2014 - 16	19.9	2/16	19.1	32.6	33.8	—	●
4.07ii - Under 75 mortality rate from respiratory disease considered preventable, (F), 2014 - 16	Null	Null	Null	Null	16.5	—	●
4.07ii - Under 75 mortality rate from respiratory disease considered preventable, (M), 2014 - 16	Null	Null	Null	Null	20.8	—	●
4.07ii - Under 75 mortality rate from respiratory disease considered preventable, (P), 2014 - 16	12.5	6/16	10.2	17.7	18.6	—	●
4.08 - Mortality rate from a range of specified communicable diseases, incl influenza, (F), 2014 - 16	Null	Null	Null	Null	9.9	—	●
4.08 - Mortality rate from a range of specified communicable diseases, incl influenza, (M), 2014 - 16	Null	Null	Null	Null	11.6	—	●
4.08 - Mortality rate from a range of specified communicable diseases, incl influenza, (P), 2014 - 16	7.0	3/16	6.6	12.1	10.7	—	●
4.09i - Excess under 75 mortality rate in adults with serious mental illness, (P), 2014/15	247.8	5/16	164.8	486.3	370.0	—	●
4.09ii - Proportion of adults in the pop in contact with secondary mental health services, (P), 2014/15	3.6	5/16	2.7	14.5	5.4	—	●

Statistical Significance compared to England or Benchmark:
● Better ● Same ● Worse
▲ Higher ● Lower ● Not compared
▼ Decreasing ▲ Increasing ▲ Increasing and getting worse
▲ Decreasing and getting better ▲ Increasing and getting better ▲ Increasing and getting worse
▲ No significant change — Cannot be calculated

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied)

Source: August 2018 PHOF, PHE

Healthcare Premature Mortality (cont): Rutland

Indicator	Value	Rank	Best/Lowest	Worst/Highest	England	DoT	RAG
4.10 - Suicide rate, (F), 2014 - 16	Null	Null	Null	Null	4.8	—	●
4.10 - Suicide rate, (M), 2014 - 16	Null	Null	Null	Null	15.3	—	●
4.10 - Suicide rate, (P), 2014 - 16	Null	Null	Null	Null	9.9	—	●
4.11 - Emergency readmissions within 30 days of discharge from hospital, (F), 2011/12	10.7	10/16	8.4	12.9	11.5	—	●
4.11 - Emergency readmissions within 30 days of discharge from hospital, (M), 2011/12	8.7	1/16	8.7	13.3	12.1	—	●
4.11 - Emergency readmissions within 30 days of discharge from hospital, (P), 2011/12	9.7	3/16	8.9	13.1	11.8	—	●
4.12i - Preventable sight loss - age related macular degeneration (AMD), (P), 2016/17	127.8	11/16	82.5	157.9	111.3	▲	●
4.12ii - Preventable sight loss - glaucoma, (P), 2016/17	26.9	16/16	5.9	26.9	13.1	—	●
4.12iii - Preventable sight loss - diabetic eye disease, (P), 2016/17	0.0	1/11	0.0	4.4	3.1	—	●
4.12iv - Preventable sight loss - sight loss certifications, (P), 2016/17	67.3	15/16	32.0	71.5	42.4	▲	●
4.13 - Health related quality of life for older people, (P), 2016/17	0.8	7/16	0.8	0.7	0.7	—	●
4.14i - Hip fractures in people aged 65 and over, (F), 2016/17	464.9	1/16	464.9	748.5	693.2	—	●
4.14i - Hip fractures in people aged 65 and over, (M), 2016/17	705.0	16/16	310.5	705.0	407.9	—	●
4.14i - Hip fractures in people aged 65 and over, (P), 2016/17	558.0	10/16	475.3	607.1	575.0	—	●
4.14ii - Hip fractures in people aged 65 and over - aged 65-79, (F), 2016/17	Null	Null	Null	Null	306.3	—	●
4.14ii - Hip fractures in people aged 65 and over - aged 65-79, (M), 2016/17	Null	Null	Null	Null	166.3	—	●
4.14ii - Hip fractures in people aged 65 and over - aged 65-79, (P), 2016/17	Null	Null	Null	Null	240.6	—	●
4.14iii - Hip fractures in people aged 65 and over - aged 80+, (F), 2016/17	Null	Null	Null	Null	1,815.2	—	●
4.14iii - Hip fractures in people aged 65 and over - aged 80+, (M), 2016/17	Null	Null	Null	Null	1,108.4	—	●
4.14iii - Hip fractures in people aged 65 and over - aged 80+, (P), 2016/17	1,431.8	6/16	1,117.5	1,658.1	1,544.5	—	●
4.15i - Excess winter deaths index (single year, all ages), (F), Aug 2015 - Jul 2016	-5.7	1/16	-5.7	26.5	16.2	—	●
4.15i - Excess winter deaths index (single year, all ages), (M), Aug 2015 - Jul 2016	5.3	3/16	-0.9	21.2	13.9	—	●
4.15i - Excess winter deaths index (single year, all ages), (P), Aug 2015 - Jul 2016	-0.4	1/16	-0.4	19.3	15.1	—	●
4.15ii - Excess winter deaths index (single year, age 85+), (F), Aug 2015 - Jul 2016	-13.4	1/16	-13.4	29.4	17.8	—	●
4.15ii - Excess winter deaths index (single year, age 85+), (M), Aug 2015 - Jul 2016	-9.1	2/16	-14.7	31.5	17.5	—	●
4.15ii - Excess winter deaths index (single year, age 85+), (P), Aug 2015 - Jul 2016	-11.7	1/16	-11.7	28.3	17.7	—	●
4.15iii - Excess winter deaths index (3 years, all ages), (F), Aug 2013 - Jul 2016	17.4	3/16	14.1	29.5	20.2	—	●
4.15iii - Excess winter deaths index (3 years, all ages), (M), Aug 2013 - Jul 2016	4.4	1/16	4.4	20.4	15.4	—	●
4.15iii - Excess winter deaths index (3 years, all ages), (P), Aug 2013 - Jul 2016	10.9	1/16	10.9	22.4	17.9	—	●
4.15iv - Excess winter deaths index (3 years, age 85+), (F), Aug 2013 - Jul 2016	23.5	6/16	16.2	37.3	25.3	—	●
4.15iv - Excess winter deaths index (3 years, age 85+), (M), Aug 2013 - Jul 2016	-5.3	1/16	-5.3	38.2	23.3	—	●
4.15iv - Excess winter deaths index (3 years, age 85+), (P), Aug 2013 - Jul 2016	11.5	1/16	11.5	34.6	24.6	—	●
4.16 - Estimated dementia diagnosis rate (aged 65+), (P), 2018	56.5	15/16	70.8	52.5	67.5	—	●

Statistical Significance compared to England or Benchmark:

- Better
- Same
- Worse
- Higher
- Lower
- Not compared

Direction of Travel:

- ▲ Increasing
- ▼ Decreasing
- ▲ Increasing and getting better
- ▼ Decreasing and getting better
- ▲ Increasing and getting worse
- ▼ Decreasing and getting worse
- ▲ No significant change
- Cannot be calculated

Ranking, Best and Worst columns are compared to the nearest neighbours only. Rank: 1 is calculated as the best (or lowest when no polarity is applied) Source: August 2018 PHOF, PHE

If you require information contained in this leaflet in another version e.g. large print, Braille, tape or alternative language please telephone: 0116 305 6803, Fax: 0116 305 7271 or Minicom: 0116 305 6160.

ਐ ਆਪ ਆ ਮਾਡਿਟੀ ਆਪਨੀ ਆਧਾਮਾਂ ਸਮਝਵਾਮਾਂ ਥੀਡੀ ਮਦਦ
ਓਞਞਨਾਂ ਡੀ ਟੀ 0116 305 6803 ਨੰਬਰ ਪਰ ਫ਼ੋਨ ਕਰਞੀ ਅਨੇ
ਅਮੇ ਆਪਨੇ ਮਦਦ ਕਰਵਾ ਅਵਞਞਾ ਕਰੀਞੁੰ.

ਜੇਕਰ ਤੁਹਾਨੂੰ ਇਸ ਜਾਣਕਾਰੀ ਨੂੰ ਸਮਝਣ ਵਿਚ ਕੁਝ ਮਦਦ ਚਾਹੀਦੀ
ਹੈ ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ 0116 305 6803 ਨੰਬਰ ਤੇ ਫ਼ੋਨ ਕਰੋ ਅਤੇ
ਅਸੀਂ ਤੁਹਾਡੀ ਮਦਦ ਲਈ ਕਿਸੇ ਦਾ ਪ੍ਰਬੰਧ ਕਰ ਦਵਾਂਗੇ।

এই তথ্য নিজের ভাষায় বুঝার জন্য আপনার যদি কোন
সাহায্যের প্রয়োজন হয়, তবে 0116 305 6803 এই নম্বরে
ফোন করলে আমরা উপযুক্ত ব্যক্তির ব্যবস্থা করবো।

اگر آپ کو یہ معلومات سمجھنے میں کچھ مدد درکار ہے تو براہ مہربانی اس نمبر پر کال کریں
0116 305 6803 اور ہم آپ کی مدد کے لئے کسی کا انتظام کر دیں گے۔

假如閣下需要幫助，用你的語言去明白這些資訊，
請致電 0116 305 6803，我們會安排有關人員為你
提供幫助。

Jeżeli potrzebujesz pomocy w zrozumieniu tej informacji
w Twoim języku, zadzwoń pod numer 0116 305 6803,
a my Ci pomożemy.

Strategic Business Intelligence Team
Strategy and Business Intelligence Branch

Chief Executive's Department
Leicestershire County Council
County Hall
Glenfield
Leicester
LE3 8RA
ri@leics.gov.uk
www.lsr-online.org