




Report - Ward 2016: Hinckley & Bosworth

Presentation map




©PHE - © Crown copyright and database rights 2017, Ordnance Survey 100016969 - ONS © Crown Copyright 2017



Report - Ward 2016: Hinckley & Bosworth


Population

Population by age group, 2015
Your selection



Source: ONS © Crown copyright 2016 - total: 124,733

Population by age group, 2015
England




Source: ONS © Crown copyright 2016

Population by age group, 2015, numbers

Ages	Selection	Leicestershire (Upper Tier Local Authority)	England
aged under 16	22,438	119,643	10,405,114
aged 16-24	11,427	78,797	6,192,870
aged 25-64	65,334	343,436	28,476,771
aged 65-84	22,482	116,340	8,416,283
aged 85 and over	3,052	17,093	1,295,289
Total	124,733	675,309	54,786,327

Source: ONS © Crown copyright 2016

Age pyramid for selection: male and female numbers per five-year age group, 2015



Source: ONS © Crown Copyright 2016



Report - Ward 2016: Hinckley & Bosworth

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Black and Minority Ethnic (BME) Population	3,974	55,722	7,731,314
Population whose ethnicity is not 'White UK'	6,139	72,057	10,733,220
Population who cannot speak English well or at all	311	4,426	843,845


Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Black and Minority Ethnic (BME) Population	3.3	8.6	14.6
Population whose ethnicity is not 'White UK'	5.1	11.1	20.2
Population who cannot speak English well or at all	0.3	0.7	1.7

Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census, 2011



Report - Ward 2016: Hinckley & Bosworth

Deprivation

Indices of Deprivation, 2015, Score

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
IMD 2015 Score	//	12.5	21.8

Source: DCLG © Copyright 2015. Please see metadata for further guidance on how to interpret IMD score

Indices of Deprivation, 2015, numbers

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
People living in means tested benefit households	11,095	59,295	7,790,220
Children living in income deprived households	2,617	14,114	2,016,120
People aged 60+ living in pension credit households	3,517	18,488	1,954,617

Source: DCLG © Copyright 2015


Indices of Deprivation, 2015, %

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Income Deprivation	9.1	9	14.6
Child Poverty	11.8	12	19.9
Older People in Deprivation	11.2	11.3	16.2

Source: DCLG © Copyright 2015

Indices of Deprivation, 2015, %, Selection (comparing to England average)

Significantly better than England Not significantly different Significantly worse than England England



Source: DCLG © Copyright 2015



Report - Ward 2016: Hinckley & Bosworth

Child Development, Education and Employment

Child development, education and employment indicators, numbers (estimated from MSOA level data)

Table with 4 columns: Indicator, Selection, Leicestershire (Upper Tier Local Authority), and England. Rows include Low birth weight of term babies, A good level of development at age 5, and Achieving 5A*-C GCSE.

Source: Public Health England, ONS, NOMIS, DfE


Please note employment data for Wards is not available at this time

Child development, education and employment indicators, values (estimated from MSOA level data)

Table with 4 columns: Indicator, Selection, Leicestershire (Upper Tier Local Authority), and England. Rows include Low birth weight of term babies, Child development at age 5, and GCSE achievement.

Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE



Report - Ward 2016: Hinckley & Bosworth

Health and Care

Health and care indicators, 2011, numbers

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
General health: very bad	1,112	6,053	660,749
General health: bad or very bad	5,258	28,020	2,911,195
Limiting long term illness or disability	19,676	105,423	9,352,586
Provides unpaid care for 1 or more hours per week	13,333	70,728	5,430,016
Provides unpaid care for 50 or more hours per week	2,733	14,040	1,256,237


Source: ONS Census, 2011

Health and care indicators, 2011, %

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
General health very bad	0.9	0.9	1.2
General health bad or very bad	4.4	4.3	5.5
Limiting long term illness or disability	16.3	16.2	17.6
Provides 1 hour or more unpaid care per week	11.1	10.9	10.2
Provides 50 hours or more unpaid care per week	2.3	2.2	2.4

Source: ONS Census, 2011

Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census, 2011



Report - Ward 2016: Hinckley & Bosworth

Housing and Living Environment

Housing and living environment indicators, 2011 and 2014, numbers

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Fuel Poverty, 2014	4,433	24,100	2,379,357
Overcrowded households (at least 1 room too few)	1,592	9,791	1,928,596
Pensioners living alone	6,022	33,126	2,725,596


Source: ONS Census, 2011; Department of Energy and Climate Change, 2014

Housing and living environment indicators, 2011 and 2014, %

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Fuel Poverty, 2014	8.4	8.8	10.6
Overcrowded households (at least 1 room too few)	3.1	3.7	8.7
Pensioners living alone	28.2	28.7	31.5

Source: ONS Census, 2011; Department of Energy and Climate Change, 2014

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census
Please note Fuel Poverty cannot be displayed on chart as it does not have confidence limits.



Report - Ward 2016: Hinckley & Bosworth

Children's Weight

Children's weight indicators, 2013/14-2015/16, numbers (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Obese children (Reception Year)	305	1,667	169,362
Children with excess weight (Reception Year)	850	4,327	404,465
Obese children (Year 6)	552	3,120	307,544
Children with excess weight (Year 6)	1,092	5,802	535,056


Source: National Child Measurement Programme, NHS Digital © 2013-2016

Children's weight indicators, 2013/14-2015/16, % (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Obese children (Reception Year)	7.9	8	9.3
Children with excess weight (Reception Year)	22	20.8	22.2
Obese children (Year 6)	15.3	16.4	19.3
Children with excess weight (Year 6)	30.3	30.4	33.6

Source: National Child Measurement Programme, NHS Digital © 2013-2016

Children's weight indicators, %, Selection (comparing to England average)



Source: National Child Measurement Programme, NHS Digital © 2013-2016



Report - Ward 2016: Hinckley & Bosworth

Children's health care activity

Children's health care activity, numbers, 2013/14 - 2015/16 (estimated from MSOA level data)

indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Emergency Admissions 0-4 year olds	1,831	9,384	1,533,272
A&E attendances 0-4 year olds	9,241	44,823	5,670,099
Admission for injury 0-4 year olds	335	1,552	235,961
Admission for injury 0-14 year olds	910	4,148	527,519
Admission for injury 15-24 year olds	845	3,967	470,265


Source: Public Health England, NHS Digital 2017

Children's health care activity, values, 2013/14 - 2015/16 (estimated from MSOA level data)

indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Emergency Admissions 0-4 year olds rate per 1,000	87.5	85.3	149.2
A&E attendances 0-4 year olds rate per 1,000	441.9	407.4	551.6
Admission for injury 0-4 year olds rate per 10,000	96.8	85	138.8
Admission for injury 0-14 year olds rate per 10,000	87.7	75	110.1
Admission for injury 15-24 year olds rate per 10,000	129.8	93.1	137

Source: Public Health England, NHS Digital 2017

Children's health care activity, Selection (comparing to England average)



Source: Public Health England, NHS Digital 2017



Report - Ward 2016: Hinckley & Bosworth

Adults' Behavioural Risk Factors

Adults' Behavioral Risk Factors, 2006-08, numbers (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Obese adults	25,896	127,221	9,983,436
Binge drinking adults	19,418	100,652	8,290,798
Healthy eating adults	28,240	158,697	11,907,157


Source: Public Health England © Copyright 2010

Adults' Behavioral Risk Factors, 2006-08, % (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Obese adults	26.4	24.3	24.1
Binge drinking adults	19.8	19.2	20
Healthy eating adults	28.8	30.3	28.7

Source: Public Health England © Copyright 2010

Adults' Behavioral Risk Factors, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



Report - Ward 2016: Hinckley & Bosworth

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2011/12 to 2015/16 (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Emergency hospital admissions for all causes	54,140	283,357	26,930,251
Emergency hospital admissions for CHD*	1,327	7,602	688,090
Emergency hospital admissions for stroke	873	4,397	398,062
Emergency hospital admissions for MI*	796	4,483	335,723
Emergency hospital admissions for COPD*	1,146	6,356	583,448

Source: Public Health England, NHS Digital © Copyright 2017


* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease

Emergency Hospital Admissions, Standardised Admission Ratios (SAR), 2011/12 to 2015/16 (estimated from MSOA data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Emergency hospital admissions for all causes	86.1	83.7	100
Emergency hospital admissions for CHD	76	82.7	100
Emergency hospital admissions for stroke	88.1	83.1	100
Emergency hospital admissions for MI	93.6	100	100
Emergency hospital admissions for COPD	76.9	81	100

Source: Public Health England, NHS Digital © Copyright 2017

Emergency Hospital admissions, SAR, 2011/12 to 2015/16, Selection (comparing to England average)



Source: Public Health England, NHS Digital © Copyright 2017



Report - Ward 2016: Hinckley & Bosworth

Cancer incidence

Cancer incidence, numbers, 2011-2015 (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All cancer	3,630	18,686	1,469,163
Breast cancer	604	3,043	221,700
Colorectal cancer	428	2,214	173,299
Lung cancer	380	2,088	186,030
Prostate cancer	433	2,195	196,749

Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2015 CASREF01)


Cancer incidence, Standardised Incidence Ratios (SIR), 2011-2015 (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All cancer	97	95.2	100
Breast cancer	108.1	104	100
Colorectal cancer	96.9	95.2	100
Lung cancer	79.5	83.2	100
Prostate cancer	83	81.3	100

Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2015 CASREF01)

Cancer incidence, SIR, 2011-2015, Selection (comparing to England average)

Significantly better than England Not significantly different Significantly worse than England



Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System



Report - Ward 2016: Hinckley & Bosworth

Hospital admissions - harm and injury

Hospital admissions - harm and injury, numbers, 2011/12 to 2015/16 (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Hospital stays for self harm	928	4,065	537,455
Hospital stays for alcohol related harm	3,684	19,149	1,633,232
Emergency admissions for hip fracture aged 65+	655	3,382	283,432
Elective hospital admissions for hip replacement	922	4,704	338,773
Elective hospital admissions for knee replacement	1,013	5,411	374,028


Source: Public Health England, NHS Digital © Copyright 2017

Hospital admissions - harm and injury, Standardised Admission Ratios (SAR), 2011/12 to 2015/16 (estimated from MSOA)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Hospital stays for self harm	80.1	62.6	100
Hospital stays for alcohol related harm	93.8	91.9	100
Emergency admissions for hip fracture aged 65+	97	90.3	100
Elective hospital admissions for hip replacement	105.2	103	100
Elective hospital admissions for knee replacement	103.8	106.7	100

Source: Public Health England, NHS Digital © Copyright 2017

Hospital admissions - harm and injury, SAR, 2011/12 to 2015/16 , Selection (comparing to England average)



Source: Public Health England, NHS Digital © Copyright 2017



Report - Ward 2016: Hinckley & Bosworth

Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2011-2015

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All causes	5,244	28,888	2,357,381
All cancer	1,598	8,469	666,658
All circulatory disease	1,433	7,848	646,138
Coronary heart disease	627	3,599	289,738
Stroke	340	1,877	165,375
Respiratory diseases	669	3,769	325,764


Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - all ages, Standardised Mortality Ratios (SMR), 2011-2015

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All causes	92.5	92.8	100
All cancer	96.3	95	100
All circulatory disease	92.6	91.8	100
Coronary heart disease	89.2	93.5	100
Stroke	86.9	86.1	100
Respiratory diseases	86.2	87.5	100

Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - all ages, SMR, 2011-2015, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2017



Report - Ward 2016: Hinckley & Bosworth

Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2011-2015

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All causes, aged under 65	767	4,112	373,093
All causes, aged under 75	1,609	8,642	752,670
All cancer, aged under 75	735	3,801	310,786
All circulatory disease, aged under 75	351	1,940	166,529
Coronary heart disease, aged under 75	202	1,080	91,057


Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - premature mortality, Standardised Mortality Ratios (SMR), 2011-2015

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All causes, aged under 65	81.5	84.8	100
All causes, aged under 75	82	85.7	100
All cancer, aged under 75	89.1	90.1	100
All circulatory disease, aged under 75	79.7	86	100
Coronary heart disease, aged under 75	83.4	87.2	100

Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - premature mortality, SMR, 2011-2015, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2017