




Report - Ward 2016: North Charnwood

Presentation map




©PHE - © Crown copyright and database rights 2017, Ordnance Survey 100016969 - ONS © Crown Copyright 2017



Report - Ward 2016: North Charnwood


Population

Population by age group, 2015  
Your selection



Source: ONS © Crown copyright 2016 - total: 65,989

Population by age group, 2015  
England




Source: ONS © Crown copyright 2016

Population by age group, 2015, numbers

| Ages             | Selection | Charnwood<br>(Lower Tier Local<br>Authority) | Leicestershire<br>(Upper Tier Local<br>Authority) | England    |
|------------------|-----------|--|---|------------|
| aged under 16    | 9,261     | 29,627                                       | 119,643   | 10,405,114 |
| aged 16-24       | 17,672    | 29,242                                       | 78,797  | 6,192,870  |
| aged 25-64       | 28,647    | 86,631                                       | 343,436   | 28,476,771 |
| aged 65-84       | 8,918     | 27,088                                       | 116,340   | 8,416,283  |
| aged 85 and over | 1,491     | 4,132  | 17,093  | 1,295,289  |
| Total            | 65,989    | 176,720                                      | 675,309   | 54,786,327 |

Source: ONS © Crown copyright 2016

Age pyramid for selection: male and female numbers  
per five-year age group, 2015



Source: ONS © Crown Copyright 2016



Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

| Indicator  | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England    |
|--|-----------|--|---|------------|
| Black and Minority Ethnic (BME) Population         | 9,703     | 20,986                                 | 55,722                                      | 7,731,314  |
| Population whose ethnicity is not 'White UK'       | 12,411    | 26,122                                 | 72,057                                      | 10,733,220 |
| Population who cannot speak English well or at all | 909       | 1,840                                  | 4,426                                       | 843,845    |


Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %

| Indicator  | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|--|-----------|--|---|---------|
| Black and Minority Ethnic (BME) Population         | 15.6      | 12.6                                   | 8.6   | 14.6    |
| Population whose ethnicity is not 'White UK'       | 19.9      | 15.7                                   | 11.1  | 20.2    |
| Population who cannot speak English well or at all | 1.5       | 1.1                                    | 0.7   | 1.7     |

Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census, 2011



Report - Ward 2016: North Charnwood

Deprivation

Indices of Deprivation, 2015, Score

| Indicator      | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|----------------|-----------|--|---|---------|
| IMD 2015 Score | //        | 13.7                                   | 12.5  | 21.8    |

Source: DCLG © Copyright 2015. Please see metadata for further guidance on how to interpret IMD score

Indices of Deprivation, 2015, numbers

| Indicator   | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England   |
|---|-----------|--|---|-----------|
| People living in means tested benefit households    | 5,994     | 16,537                                 | 59,295                                      | 7,790,220 |
| Children living in income deprived households       | 1,450     | 4,091                                  | 14,114                                      | 2,016,120 |
| People aged 60+ living in pension credit households | 1,725     | 4,772                                  | 18,488                                      | 1,954,617 |


Source: DCLG © Copyright 2015

Indices of Deprivation, 2015, %

| Indicator                   | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|-----------------------------|-----------|--|---|---------|
| Income Deprivation          | 9.5       | 9.8                                    | 9   | 14.6    |
| Child Poverty               | 16.1      | 14.3                                   | 12  | 19.9    |
| Older People in Deprivation | 13.1      | 12.3                                   | 11.3  | 16.2    |

Source: DCLG © Copyright 2015

Indices of Deprivation, 2015, %, Selection (comparing to England average)



Source: DCLG © Copyright 2015



Child Development, Education and Employment

Child development, education and employment indicators, numbers (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Charnwood (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), England. Rows include Low birth weight of term babies, A good level of development at age 5, and Achieving 5A\*-C GCSE.

Source: Public Health England, ONS, NOMIS, DfE


Please note employment data for Wards is not available at this time

Child development, education and employment indicators, values (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Charnwood (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), England. Rows include Low birth weight of term babies, Child development at age 5, and GCSE achievement.

Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE



## Report - Ward 2016: North Charnwood

### Health and Care

#### Health and care indicators, 2011, numbers

| Indicator  | Selection | Charnwood<br>(Lower Tier Local<br>Authority) | Leicestershire<br>(Upper Tier Local<br>Authority) | England   |
|--|-----------|--|---|-----------|
| General health: very bad                           | 577       | 1,472  | 6,053   | 660,749   |
| General health: bad or very bad                    | 2,666     | 6,937  | 28,020  | 2,911,195 |
| Limiting long term illness or disability           | 9,516     | 25,869                                       | 105,423   | 9,352,586 |
| Provides unpaid care for 1 or more hours per week  | 5,790     | 17,127                                       | 70,728  | 5,430,016 |
| Provides unpaid care for 50 or more hours per week | 1,120     | 3,294  | 14,040  | 1,256,237 |


Source: ONS Census, 2011

#### Health and care indicators, 2011, %

| Indicator                                      | Selection | Charnwood<br>(Lower Tier Local<br>Authority) | Leicestershire<br>(Upper Tier Local<br>Authority) | England |
|--|-----------|--|---|---------|
| General health very bad                        | 0.9       | 0.9  | 0.9   | 1.2     |
| General health bad or very bad                 | 4.3       | 4.2  | 4.3   | 5.5     |
| Limiting long term illness or disability       | 15.3      | 15.6   | 16.2  | 17.6    |
| Provides 1 hour or more unpaid care per week   | 9.3       | 10.3   | 10.9  | 10.2    |
| Provides 50 hours or more unpaid care per week | 1.8       | 2  | 2.2   | 2.4     |

Source: ONS Census, 2011

#### Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census, 2011



Housing and Living Environment

Housing and living environment indicators, 2011 and 2014, numbers

| Indicator  | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England   |
|--|-----------|--|---|-----------|
| Fuel Poverty, 2014                               | 2,427     | 6,064                                  | 24,100                                      | 2,379,357 |
| Overcrowded households (at least 1 room too few) | 1,541     | 3,305                                  | 9,791                                       | 1,928,596 |
| Pensioners living alone                          | 2,758     | 7,980                                  | 33,126                                      | 2,725,596 |


Source: ONS Census, 2011; Department of Energy and Climate Change, 2014

Housing and living environment indicators, 2011 and 2014, %

| Indicator  | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|--|-----------|--|---|---------|
| Fuel Poverty, 2014                               | 10.1      | 8.9                                    | 8.8   | 10.6    |
| Overcrowded households (at least 1 room too few) | 6.6       | 5                                      | 3.7   | 8.7     |
| Pensioners living alone                          | 29.6      | 29.3                                   | 28.7  | 31.5    |

Source: ONS Census, 2011; Department of Energy and Climate Change, 2014

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census. Please note Fuel Poverty cannot be displayed on chart as it does not have confidence limits.



Report - Ward 2016: North Charnwood

Children's Weight

Children's weight indicators, 2013/14-2015/16, numbers (estimated from MSOA level data)

| Indicator                                    | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|--|-----------|--|---|---------|
| Obese children (Reception Year)              |           | 150                                    | 462   | 1,667   |
| Children with excess weight (Reception Year) |           | 364                                    | 1,167                                       | 4,327   |
| Obese children (Year 6)                      |           | 278                                    | 827   | 3,120   |
| Children with excess weight (Year 6)         |           | 479                                    | 1,456                                       | 5,802   |


Source: National Child Measurement Programme, NHS Digital © 2013-2016

Children's weight indicators, 2013/14-2015/16, % (estimated from MSOA level data)

| Indicator                                    | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|--|-----------|--|---|---------|
| Obese children (Reception Year)              |           | 8.8                                    | 8.6   | 8       |
| Children with excess weight (Reception Year) |           | 21.3                                   | 21.8  | 20.8    |
| Obese children (Year 6)                      |           | 18.7                                   | 18.1  | 16.4    |
| Children with excess weight (Year 6)         |           | 32.3                                   | 31.9  | 30.4    |

Source: National Child Measurement Programme, NHS Digital © 2013-2016

Children's weight indicators, %, Selection (comparing to England average)



Source: National Child Measurement Programme, NHS Digital © 2013-2016





Report - Ward 2016: North Charnwood

Children's health care activity

Children's health care activity, numbers, 2013/14 - 2015/16 (estimated from MSOA level data)

| indicator                            | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England   |
|--------------------------------------|-----------|--|---|-----------|
| Emergency Admissions 0-4 year olds   |           | 660                                    | 2,218                                       | 1,533,272 |
| A&E attendances 0-4 year olds        |           | 1,947                                  | 8,543                                       | 5,670,099 |
| Admission for injury 0-4 year olds   |           | 81                                     | 351   | 235,961   |
| Admission for injury 0-14 year olds  |           | 274                                    | 953   | 527,519   |
| Admission for injury 15-24 year olds |           | 474                                    | 999   | 470,265   |


Source: Public Health England, NHS Digital 2017

Children's health care activity, values, 2013/14 - 2015/16 (estimated from MSOA level data)

| indicator  | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|--|-----------|--|---|---------|
| Emergency Admissions 0-4 year olds rate per 1,000    |           | 72.3                                   | 78  | 149.2   |
| A&E attendances 0-4 year olds rate per 1,000         |           | 213.3                                  | 300.3                                       | 551.6   |
| Admission for injury 0-4 year olds rate per 10,000   |           | 68.1                                   | 74.8  | 138.8   |
| Admission for injury 0-14 year olds rate per 10,000  |           | 64.3                                   | 70.4  | 110.1   |
| Admission for injury 15-24 year olds rate per 10,000 |           | 55.4                                   | 67.3  | 137     |

Source: Public Health England, NHS Digital 2017

Children's health care activity, Selection (comparing to England average)



Source: Public Health England, NHS Digital 2017



Report - Ward 2016: North Charnwood

Adults' Behavioural Risk Factors

Adults' Behavioral Risk Factors, 2006-08, numbers (estimated from MSOA level data)

| Indicator             | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|-----------------------|-----------|--|---|---------|
| Obese adults          |           | 10,818                                 | 30,790                                      | 127,221 |
| Binge drinking adults |           | 11,968                                 | 27,239                                      | 100,652 |
| Healthy eating adults |           | 17,071                                 | 42,396                                      | 158,697 |


Source: Public Health England © Copyright 2010

Adults' Behavioral Risk Factors, 2006-08, % (estimated from MSOA level data)

| Indicator             | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|-----------------------|-----------|--|---|---------|
| Obese adults          |           | 19.9                                   | 22.6  | 24.3    |
| Binge drinking adults |           | 22                                     | 20  | 19.2    |
| Healthy eating adults |           | 31.4                                   | 31.1  | 30.3    |

Source: Public Health England © Copyright 2010

Adults' Behavioral Risk Factors, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



Report - Ward 2016: North Charnwood

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2011/12 to 2015/16 (estimated from MSOA level data)

| Indicator                                    | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England    |
|--|-----------|--|---|------------|
| Emergency hospital admissions for all causes | 23,987    | 68,382                                 | 283,357                                     | 26,930,251 |
| Emergency hospital admissions for CHD*       | 645       | 1,774                                  | 7,602                                       | 688,090    |
| Emergency hospital admissions for stroke     | 374       | 1,027                                  | 4,397                                       | 398,062    |
| Emergency hospital admissions for MI*        | 376       | 1,062                                  | 4,483                                       | 335,723    |
| Emergency hospital admissions for COPD*      | 557       | 1,563                                  | 6,356                                       | 583,448    |

Source: Public Health England, NHS Digital © Copyright 2017

\* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease


Emergency Hospital Admissions, Standardised Admission Ratios (SAR), 2011/12 to 2015/16 (estimated from MSOA data)

| Indicator                                    | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|--|-----------|--|---|---------|
| Emergency hospital admissions for all causes | 79        | 80.3                                   | 83.7  | 100     |
| Emergency hospital admissions for CHD        | 90.4      | 81.3                                   | 82.7  | 100     |
| Emergency hospital admissions for stroke     | 90.2      | 81.3                                   | 83.1  | 100     |
| Emergency hospital admissions for MI         | 108.1     | 99.7                                   | 100   | 100     |
| Emergency hospital admissions for COPD       | 92        | 84.1                                   | 81  | 100     |

Source: Public Health England, NHS Digital © Copyright 2017

Emergency Hospital admissions, SAR, 2011/12 to 2015/16, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: Public Health England, NHS Digital © Copyright 2017



Report - Ward 2016: North Charnwood

Cancer incidence

Cancer incidence, numbers, 2011-2015 (estimated from MSOA level data)

| Indicator         | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|-------------------|-----------|--|---|---------|
| All cancer        |           | 1,480                                  | 4,338                                       | 18,686  |
| Breast cancer     |           | 234                                    | 689   | 3,043   |
| Colorectal cancer |           | 150                                    | 491   | 2,214   |
| Lung cancer       |           | 193                                    | 533   | 2,088   |
| Prostate cancer   |           | 183                                    | 532   | 2,195   |

Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2015 CASREF01)


Cancer incidence, Standardised Incidence Ratios (SIR), 2011-2015 (estimated from MSOA level data)

| Indicator         | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|-------------------|-----------|--|---|---------|
| All cancer        |           | 96.5                                   | 92.9  | 95.2    |
| Breast cancer     |           | 103.7                                  | 99.1  | 104     |
| Colorectal cancer |           | 82.9                                   | 88.9  | 95.2    |
| Lung cancer       |           | 100.1                                  | 89.8  | 83.2    |
| Prostate cancer   |           | 88.5                                   | 83.8  | 81.3    |

Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2015 CASREF01)

Cancer incidence, SIR, 2011-2015, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System



Report - Ward 2016: North Charnwood

Hospital admissions - harm and injury

Hospital admissions - harm and injury, numbers, 2011/12 to 2015/16 (estimated from MSOA level data)

| Indicator   | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England   |
|---|-----------|--|---|-----------|
| Hospital stays for self harm                      | 444       | 1,027                                  | 4,065                                       | 537,455   |
| Hospital stays for alcohol related harm           | 1,607     | 4,571                                  | 19,149                                      | 1,633,232 |
| Emergency admissions for hip fracture aged 65+    | 296       | 767                                    | 3,382                                       | 283,432   |
| Elective hospital admissions for hip replacement  | 354       | 1,082                                  | 4,704                                       | 338,773   |
| Elective hospital admissions for knee replacement | 386       | 1,272                                  | 5,411                                       | 374,028   |


Source: Public Health England, NHS Digital © Copyright 2017

Hospital admissions - harm and injury, Standardised Admission Ratios (SAR), 2011/12 to 2015/16 (estimated from MSOA)

| Indicator   | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|---|-----------|--|---|---------|
| Hospital stays for self harm                      | 58.4      | 56.9                                   | 62.6  | 100     |
| Hospital stays for alcohol related harm           | 86        | 87.6                                   | 91.9  | 100     |
| Emergency admissions for hip fracture aged 65+    | 95.7      | 85.3                                   | 90.3  | 100     |
| Elective hospital admissions for hip replacement  | 100.7     | 100.3                                  | 103   | 100     |
| Elective hospital admissions for knee replacement | 99.4      | 106.5                                  | 106.7                                       | 100     |

Source: Public Health England, NHS Digital © Copyright 2017

Hospital admissions - harm and injury, SAR, 2011/12 to 2015/16 , Selection (comparing to England average)



Source: Public Health England, NHS Digital © Copyright 2017



Report - Ward 2016: North Charnwood

Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2011-2015

| Indicator               | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|-------------------------|-----------|--|---|---------|
| All causes              |           | 2,811                                  | 6,995                                       | 28,888  |
| All cancer              |           | 690                                    | 1,990                                       | 8,469   |
| All circulatory disease |           | 733                                    | 1,924                                       | 7,848   |
| Coronary heart disease  |           | 325                                    | 884   | 3,599   |
| Stroke                  |           | 203                                    | 468   | 1,877   |
| Respiratory diseases    |           | 365                                    | 892   | 3,769   |

Source: Public Health England, produced from ONS data Copyright © 2017


Causes of deaths - all ages, Standardised Mortality Ratios (SMR), 2011-2015

| Indicator               | Selection | Charnwood (Lower Tier Local Authority) | Leicestershire (Upper Tier Local Authority) | England |
|-------------------------|-----------|--|---|---------|
| All causes              |           | 108                                    | 93.5  | 92.8    |
| All cancer              |           | 95.8                                   | 93.9  | 95      |
| All circulatory disease |           | 102.5                                  | 93.8  | 91.8    |
| Coronary heart disease  |           | 102.2                                  | 96.1  | 93.5    |
| Stroke                  |           | 109.9                                  | 89.2  | 86.1    |
| Respiratory diseases    |           | 100.6                                  | 86.2  | 87.5    |

Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - all ages, SMR, 2011-2015, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: Public Health England, produced from ONS data Copyright © 2017



Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2011-2015

Table with 5 columns: Indicator, Selection, Charnwood (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), and England. Rows include All causes, aged under 65; All causes, aged under 75; All cancer, aged under 75; All circulatory disease, aged under 75; and Coronary heart disease, aged under 75.


Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - premature mortality, Standardised Mortality Ratios (SMR), 2011-2015

Table with 5 columns: Indicator, Selection, Charnwood (Lower Tier Local Authority), Leicestershire (Upper Tier Local Authority), and England. Rows include All causes, aged under 65; All causes, aged under 75; All cancer, aged under 75; All circulatory disease, aged under 75; and Coronary heart disease, aged under 75.

Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - premature mortality, SMR, 2011-2015, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2017