




Report - Ward 2016: South Blaby and Lutterworth

Presentation map




©PHE - © Crown copyright and database rights 2017, Ordnance Survey 100016969 - ONS © Crown Copyright 2017



Report - Ward 2016: South Blaby and Lutterworth


Population

Population by age group, 2015
Your selection



Source: ONS © Crown copyright 2016 - total: 43,759

Population by age group, 2015
England




Source: ONS © Crown copyright 2016

Population by age group, 2015, numbers

Ages	Selection	Leicestershire (Upper Tier Local Authority)	England
aged under 16	7,774	119,643	10,405,114
aged 16-24	4,404	78,797	6,192,870
aged 25-64	22,259	343,436	28,476,771
aged 65-84	8,161	116,340	8,416,283
aged 85 and over	1,161	17,093	1,295,289
Total	43,759	675,309	54,786,327

Source: ONS © Crown copyright 2016

Age pyramid for selection: male and female numbers
per five-year age group, 2015



Source: ONS © Crown Copyright 2016



Report - Ward 2016: South Blaby and Lutterworth

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Black and Minority Ethnic (BME) Population	1,469	55,722	7,731,314
Population whose ethnicity is not 'White UK'	2,285	72,057	10,733,220
Population who cannot speak English well or at all	72	4,426	843,845


Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Black and Minority Ethnic (BME) Population	3.5	8.6	14.6
Population whose ethnicity is not 'White UK'	5.4	11.1	20.2
Population who cannot speak English well or at all	0.2	0.7	1.7

Source: ONS Census, 2011

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census, 2011



Report - Ward 2016: South Blaby and Lutterworth

Deprivation

Indices of Deprivation, 2015, Score

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
IMD 2015 Score	//	12.5	21.8

Source: DCLG © Copyright 2015. Please see metadata for further guidance on how to interpret IMD score

Indices of Deprivation, 2015, numbers

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
People living in means tested benefit households	2,995	59,295	7,790,220
Children living in income deprived households	590	14,114	2,016,120
People aged 60+ living in pension credit households	1,138	18,488	1,954,617

Source: DCLG © Copyright 2015


Indices of Deprivation, 2015, %

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Income Deprivation	7.1	9	14.6
Child Poverty	7.7	12	19.9
Older People in Deprivation	9.9	11.3	16.2

Source: DCLG © Copyright 2015

Indices of Deprivation, 2015, %, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England
 ■ England



Source: DCLG © Copyright 2015



Report - Ward 2016: South Blaby and Lutterworth

Child Development, Education and Employment

Child development, education and employment indicators, numbers (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Low birth weight of term babies, 2011-2015	39	753	86,826
A good level of development at age 5, 2013/14	281	4,166	387,000
Achieving 5A*-C (inc Eng & Maths) GCSE, 13/14	276	4,020	315,795

Source: Public Health England, ONS, NOMIS, DfE


Please note employment data for Wards is not available at this time

Child development, education and employment indicators, values (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Low birth weight of term babies	2.4	2.4	2.8
Child development at age 5	60.8	57.9	60.4
GCSE achievement (5A*-C inc. Eng & Maths)	62.5	57.7	56.6

Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE



Report - Ward 2016: South Blaby and Lutterworth

Health and Care

Health and care indicators, 2011, numbers

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
General health: very bad	386	6,053	660,749
General health: bad or very bad	1,739	28,020	2,911,195
Limiting long term illness or disability	6,671	105,423	9,352,586
Provides unpaid care for 1 or more hours per week	4,747	70,728	5,430,016
Provides unpaid care for 50 or more hours per week	906	14,040	1,256,237


Source: ONS Census, 2011

Health and care indicators, 2011, %

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
General health very bad	0.9	0.9	1.2
General health bad or very bad	4.1	4.3	5.5
Limiting long term illness or disability	15.7	16.2	17.6
Provides 1 hour or more unpaid care per week	11.2	10.9	10.2
Provides 50 hours or more unpaid care per week	2.1	2.2	2.4

Source: ONS Census, 2011

Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census, 2011



Report - Ward 2016: South Blaby and Lutterworth

Housing and Living Environment

Housing and living environment indicators, 2011 and 2014, numbers

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Fuel Poverty, 2014	1,387	24,100	2,379,357
Overcrowded households (at least 1 room too few)	464	9,791	1,928,596
Pensioners living alone	2,207	33,126	2,725,596


Source: ONS Census, 2011; Department of Energy and Climate Change, 2014

Housing and living environment indicators, 2011 and 2014, %

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Fuel Poverty, 2014	7.7	8.8	10.6
Overcrowded households (at least 1 room too few)	2.7	3.7	8.7
Pensioners living alone	27.7	28.7	31.5

Source: ONS Census, 2011; Department of Energy and Climate Change, 2014

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census Please note Fuel Poverty cannot be displayed on chart as it does not have confidence limits.



Report - Ward 2016: South Blaby and Lutterworth

Children's Weight

Children's weight indicators, 2013/14-2015/16, numbers (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Obese children (Reception Year)	98	1,667	169,362
Children with excess weight (Reception Year)	255	4,327	404,465
Obese children (Year 6)	186	3,120	307,544
Children with excess weight (Year 6)	356	5,802	535,056


Source: National Child Measurement Programme, NHS Digital © 2013-2016

Children's weight indicators, 2013/14-2015/16, % (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Obese children (Reception Year)	7.8	8	9.3
Children with excess weight (Reception Year)	20.4	20.8	22.2
Obese children (Year 6)	14.5	16.4	19.3
Children with excess weight (Year 6)	27.7	30.4	33.6

Source: National Child Measurement Programme, NHS Digital © 2013-2016

Children's weight indicators, %, Selection (comparing to England average)



Source: National Child Measurement Programme, NHS Digital © 2013-2016



Report - Ward 2016: South Blaby and Lutterworth

Children's health care activity

Children's health care activity, numbers, 2013/14 - 2015/16 (estimated from MSOA level data)

indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Emergency Admissions 0-4 year olds	557	9,384	1,533,272
A&E attendances 0-4 year olds	2,975	44,823	5,670,099
Admission for injury 0-4 year olds	110	1,552	235,961
Admission for injury 0-14 year olds	288	4,148	527,519
Admission for injury 15-24 year olds	296	3,967	470,265


Source: Public Health England, NHS Digital 2017

Children's health care activity, values, 2013/14 - 2015/16 (estimated from MSOA level data)

indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Emergency Admissions 0-4 year olds rate per 1,000	88.5	85.3	149.2
A&E attendances 0-4 year olds rate per 1,000	472.8	407.4	551.6
Admission for injury 0-4 year olds rate per 10,000	104.5	85	138.8
Admission for injury 0-14 year olds rate per 10,000	80.6	75	110.1
Admission for injury 15-24 year olds rate per 10,000	117.2	93.1	137

Source: Public Health England, NHS Digital 2017

Children's health care activity, Selection (comparing to England average)



Source: Public Health England, NHS Digital 2017



Report - Ward 2016: South Blaby and Lutterworth

Adults' Behavioural Risk Factors

Adults' Behavioral Risk Factors, 2006-08, numbers (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Obese adults	8,763	127,221	9,983,436
Binge drinking adults	6,843	100,652	8,290,798
Healthy eating adults	10,855	158,697	11,907,157


Source: Public Health England © Copyright 2010

Adults' Behavioral Risk Factors, 2006-08, % (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Obese adults	25.3	24.3	24.1
Binge drinking adults	19.8	19.2	20
Healthy eating adults	31.4	30.3	28.7

Source: Public Health England © Copyright 2010

Adults' Behavioral Risk Factors, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



Report - Ward 2016: South Blaby and Lutterworth

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2011/12 to 2015/16 (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Emergency hospital admissions for all causes	18,256	283,357	26,930,251
Emergency hospital admissions for CHD*	484	7,602	688,090
Emergency hospital admissions for stroke	245	4,397	398,062
Emergency hospital admissions for MI*	301	4,483	335,723
Emergency hospital admissions for COPD*	408	6,356	583,448

Source: Public Health England, NHS Digital © Copyright 2017


* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease

Emergency Hospital Admissions, Standardised Admission Ratios (SAR), 2011/12 to 2015/16 (estimated from MSOA data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Emergency hospital admissions for all causes	81.8	83.7	100
Emergency hospital admissions for CHD	76.5	82.7	100
Emergency hospital admissions for stroke	67.7	83.1	100
Emergency hospital admissions for MI	97.6	100	100
Emergency hospital admissions for COPD	75.5	81	100

Source: Public Health England, NHS Digital © Copyright 2017

Emergency Hospital admissions, SAR, 2011/12 to 2015/16, Selection (comparing to England average)



Source: Public Health England, NHS Digital © Copyright 2017



Report - Ward 2016: South Blaby and Lutterworth

Cancer incidence

Cancer incidence, numbers, 2011-2015 (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All cancer	1,326	18,686	1,469,163
Breast cancer	241	3,043	221,700
Colorectal cancer	157	2,214	173,299
Lung cancer	139	2,088	186,030
Prostate cancer	148	2,195	196,749


Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2015 CASREF01)

Cancer incidence, Standardised Incidence Ratios (SIR), 2011-2015 (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All cancer	98.1	95.2	100
Breast cancer	119.7	104	100
Colorectal cancer	98.3	95.2	100
Lung cancer	79.9	83.2	100
Prostate cancer	78.1	81.3	100

Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System (AV2015 CASREF01)

Cancer incidence, SIR, 2011-2015, Selection (comparing to England average)



Source: English cancer registration data from the National Cancer Registration and Analysis Services' Cancer Analysis System



Report - Ward 2016: South Blaby and Lutterworth

Hospital admissions - harm and injury

Hospital admissions - harm and injury, numbers, 2011/12 to 2015/16 (estimated from MSOA level data)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Hospital stays for self harm	225	4,065	537,455
Hospital stays for alcohol related harm	1,285	19,149	1,633,232
Emergency admissions for hip fracture aged 65+	205	3,382	283,432
Elective hospital admissions for hip replacement	324	4,704	338,773
Elective hospital admissions for knee replacement	403	5,411	374,028


Source: Public Health England, NHS Digital © Copyright 2017

Hospital admissions - harm and injury, Standardised Admission Ratios (SAR), 2011/12 to 2015/16 (estimated from MSOA)

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
Hospital stays for self harm	55.1	62.6	100
Hospital stays for alcohol related harm	92.4	91.9	100
Emergency admissions for hip fracture aged 65+	80.9	90.3	100
Elective hospital admissions for hip replacement	102.5	103	100
Elective hospital admissions for knee replacement	114.1	106.7	100

Source: Public Health England, NHS Digital © Copyright 2017

Hospital admissions - harm and injury, SAR, 2011/12 to 2015/16 , Selection (comparing to England average)



Source: Public Health England, NHS Digital © Copyright 2017



Report - Ward 2016: South Blaby and Lutterworth

Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2011-2015

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All causes	1,822	28,888	2,357,381
All cancer	574	8,469	666,658
All circulatory disease	472	7,848	646,138
Coronary heart disease	232	3,599	289,738
Stroke	103	1,877	165,375
Respiratory diseases	242	3,769	325,764


Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - all ages, Standardised Mortality Ratios (SMR), 2011-2015

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All causes	85.8	92.8	100
All cancer	94.1	95	100
All circulatory disease	81.1	91.8	100
Coronary heart disease	88.5	93.5	100
Stroke	69.3	86.1	100
Respiratory diseases	82.5	87.5	100

Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - all ages, SMR, 2011-2015, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2017



Report - Ward 2016: South Blaby and Lutterworth

Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2011-2015

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All causes, aged under 65	240	4,112	373,093
All causes, aged under 75	538	8,642	752,670
All cancer, aged under 75	256	3,801	310,786
All circulatory disease, aged under 75	112	1,940	166,529
Coronary heart disease, aged under 75	60	1,080	91,057


Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - premature mortality, Standardised Mortality Ratios (SMR), 2011-2015

Indicator	Selection	Leicestershire (Upper Tier Local Authority)	England
All causes, aged under 65	72.2	84.8	100
All causes, aged under 75	75.6	85.7	100
All cancer, aged under 75	85.1	90.1	100
All circulatory disease, aged under 75	69.5	86	100
Coronary heart disease, aged under 75	67.8	87.2	100

Source: Public Health England, produced from ONS data Copyright © 2017

Causes of deaths - premature mortality, SMR, 2011-2015, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2017